



HOZELOCK



Scandinavian - 2022



Founded in 1959 in the village of Haddenham, England, our drive has always been to develop technically perfect products as part of a system

Our first product was the world's first plastic hose connector – the Hoze-Lock.

Today, we are a global garden equipment manufacturer with our head office in Birmingham (UK).

Over 75% of our watering and spraying products are made in Britain and in France, with the remaining 25% built at our overseas factories in Malaysia, Taiwan, and China.



Committed to European manufacturing, Hozelock is investing in its machinery to increase its capabilities and meet the demand of consumers as interest in gardening continues to grow



At our factory in Birmingham, five new Sumitomo Demag injection moulding machines have been implemented to upgrade old machinery and increase manufacturing capacity. These machines include an impressive 830 tonne machine, moulding larger pieces such as side discs for carts and reels - it can produce over 5500 discs in one day.

The 280 tonne twin shot machine efficiently creates the soft touch casings for our hose end connectors and will produce over 3 million in one year! In addition to being quicker and more reliable, these machines are greener - using less than a third of the energy to power than the equivalent machine they are replacing.

New for 2022



04
↓
05

Hose Storage



06
↓
11

Hose



12
↓
18

Fittings



19
↓
24

Hose End



25
↓
30

Automatic Watering



31
↓
44

Watering Solutions



45
↓
47

Natural Gardening



48
↓
53

Sprayers



54
↓
59

HOZELOCK

New for 2022



Hozelock is expanding its product portfolio, with the new EasyMix 2-in-1, a tumbling composter with unique features, allowing gardeners to recycle their food and garden waste efficiently.



Composting can save the user money and improve their soil, whilst reducing their impact on the environment by preventing food waste being sent to landfill.

Hozelock's EasyMix 2-in-1 composter boasts quick composting times and an innovative 'Click & Spray' feature – a high-nutrient compost liquid is collected under the drum, then the user can simply click and connect it to a hose to easily fertilise their garden!

See Page 51.





Save water and time with Hozelock's automatic watering range

Hozelock's micro irrigation system is suitable for all gardens - balconies, pots and containers, flowerbeds, vegetable patches and hedgerows - allowing the user to direct water exactly to where it is required through a bespoke pipeline of components. Make the system automatic, with the new Select Plus Controller - its large, easy to use LCD screen allows flexible programming of any three schedules a day suited to the gardener's needs. See Page 37.



Weed without chemicals

The new Hozelock Green Power Turbo Gas weeder is the most efficient cordless weeder on the market - 2x faster, 4x more economical*. It can be used with a gas cartridge for greater freedom of movement or connect to a gas hose and bottle with the integrated adapter for a very high degree of autonomy. Equipped with a wheel to easily get around the garden. The non-visible flame heats the large ceramic hot plate to 800°C, which applies a thermal shock to kill the weed without the use of any chemicals. See Page 53.

*compared to a standard Gas Weeder operating with a gas cartridge.



New spray guns

Our best-selling spray guns have an all-new design, which brings more comfort to garden watering and makes it even easier to save water.

The smooth flow control allows you to quickly change the amount of water being sprayed - push it forward with your thumb for maximum power, or pull it back to reduce water usage by up to 50%. By adjusting between a high power jet for cleaning, or gentle watering for flowers, you can choose exactly the right amount of water for every task while also protecting your more delicate plants.

The new front trigger, ergonomic on/off lock button and flow control have all been located so they can be easily operated with just one hand, giving you instant access to all the features you need. Now you can water a large area in comfort and without your hands getting tired. See Page 26 & 27.



Recycled Materials

Hozelock is proud that its knitted retail hose range will be made from 40% recycled materials*.

By working with sister company Tricoflex, old hoses can be collected, recycled and made into new.

The new EasyMix 2-in-1 Composter is being launched utilising over 85% recycled plastic.

*On average across the range; as the % is dependent on the diameter of the hose



Over **95** tonnes of single use plastic packaging removed.



Case Study: The amount of card used for our spray gun headers will be reduced by a third to use packaging as efficiently as possible. The new headers are 34% smaller and 100% recyclable. The change is being made across our standard guns range, saving 2.5 tonnes of card per year.



Case Study: Superhose was previously supplied in 100% plastic packaging, it now comes in a sustainable cardboard carton that is 100% recyclable, compostable, made from recycled materials and from renewable FSC sources. The update will save circa 94 tonnes of plastic waste per year.






Packaging Development

Hozelock is committed to reducing its single use plastic packaging across the range. Where possible we are ensuring packaging is made from recycled materials that are easy to recycle or compost, and sourcing cardboard packaging from FSC approved sources.

The lighter weight packaging will reduce the volume of fuel required for shipping and help decrease Hozelock's Carbon Footprint.

HOZELOCK

Key:

-  Products with a 2 year guarantee or more
-  Products that come complete with wall fixings
-  Products that come in a retail box

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on www.hozelock.com

Hose Storage

Keep your hose tidy, protected and ready to use with a fuss-free storage solution from Hozelock.

Our reels and carts make it a breeze to get water where you need it around the garden.

Use a compact reel to get the most out of small gardens and balconies, or choose the comfort and practicality of automatic rewind and automatic layering for larger gardens.



Auto Reel - the automatic rewind hose reel

Watering your garden and storing your hose is so easy with Auto Reel.

It smoothly unwinds only the amount of hose that you need.

When you are finished, the automatic rewind system effortlessly stores the hose away, with no kinks or tangles.



Use all over your garden

The multi direction wall hanger rotates 180° to follow you around the garden or sit neatly against the wall.



Always ready to go

The built in hose stop prevents the hose fully retracting so it is easily available every time.



Convenient storage

The hanger on the 2401, 2402 and 2403 has storage space for spray guns and accessories to help keep your garden tidy.



Quick to fit or remove

The wall hanger design and carrying handle means you can quickly put the Auto Reel on the wall or take it off again.



Safe and secure

Features a child lock for reassurance and a padlock* fixing point for security.

*Padlock not included.



*Terms and conditions apply. www.hozelock.com/guarantee



5

Pro



| Code | 25-2485 |
|---------------|--|
| Product | 10m Auto Reel |
| Includes | <ul style="list-style-type: none"> • Wall mounted |
| Pack Quantity | 2 |
| Info | - |
| Barcode | 5 010646 036689 > |



5

Pro



| Code | 25-2401 |
|---------------|--|
| Product | 20m Auto Reel |
| Includes | <ul style="list-style-type: none"> • Wall mounted |
| Pack Quantity | 1 |
| Info | - |
| Barcode | 5 010646 059541 > |



5

Pro



| Code | 25-2402 |
|---------------|--|
| Product | 25m Auto Reel |
| Includes | <ul style="list-style-type: none"> • Wall mounted |
| Pack Quantity | 1 |
| Info | - |
| Barcode | 5 010646 059558 > |



5

Pro



| Code | 25-2403 |
|---------------|--|
| Product | 30m Auto Reel |
| Includes | <ul style="list-style-type: none"> • Wall mounted |
| Pack Quantity | 1 |
| Info | - |
| Barcode | 5 010646 059565 > |



5

Pro



| Code | 25-2597 |
|---------------|--|
| Product | 30m Auto Reel Flowmax |
| Includes | <ul style="list-style-type: none"> • Wall mounted • +35% increased flow rate |
| Pack Quantity | 1 |
| Info | - |
| Barcode | 5 010646 057783 > |



5

Pro



| Code | 25-2595 |
|---------------|--|
| Product | 40m Auto Reel |
| Includes | <ul style="list-style-type: none"> • Wall mounted |
| Pack Quantity | 1 |
| Info | - |
| Barcode | 5 010646 053082 > |

HOZELOCK

Compact Reel Storage - keep your small garden or patio clutter free



25-2427

5



| | |
|---------------|--|
| Code | 25-2427 |
| Product | Micro Reel <ul style="list-style-type: none"> Rotating Drum with handle: for quick and tidy hose storage without tangles 'Click & Go': Connector clicks onto tap, nozzle clips onto front of reel and handle allows easy winding/unwinding of hose as you walk Water at any length - no need to fully unwind Perfect size for small gardens: keep it near the tap, or store away neatly Ready to use: Hose, fittings and nozzle all included |
| Includes | 10m |
| Pack Quantity | 5 |
| Info | - |
| Barcode | 5 010646 062466 > |

5



5



| | | |
|---------------|---|--------------------------------|
| Code | 25-2362 | 25-2364 |
| Product | Hose Hanger <ul style="list-style-type: none"> Wall mounted Stores up to 30m of ø19mm hose Park points for connectors and hose end accessories when not in use Additional storage space to the front of the hanger | Hose Hanger Starter Set |
| Includes | - | 20m |
| Pack Quantity | 5 | 3 |
| Info | - | - |
| Barcode | 5 010646 059299 > | 5 010646 059305 > |


Compact

25-2425




Lightweight

25-2425



Easy rewind

25-2425



5

Plus



5



25-2425

Pico Reel

- Free standing
- Enclosed to protect hose
- Dual usage - can be carried or left by the tap

10m

4



5 010646 055994 >

25-2382

Hose Box

- Free standing
- Enclosed to protect hose
- Large carry handle to easily move around the garden

20m

2

Available but not in stock



5 010646 012416 >

Open Reel Storage - tidy storage, fewer kinks and tangles

5



5



5



5



5



| | | | | | |
|---------------|--|--|---|---|---|
| Code | 25-2410 | 25-2412 | 25-2420 | 25-2422 | 25-2390 |
| Product | 30m Hose Reel <ul style="list-style-type: none"> Free standing | 30m Hose Reel <ul style="list-style-type: none"> Free standing | 30m Hose Reel <ul style="list-style-type: none"> Wall mounted | 30m Hose Reel <ul style="list-style-type: none"> Wall mounted | 60m Hose Reel <ul style="list-style-type: none"> Wall mounted |
| Includes | | 15m | | 15m | |
| Pack Quantity | 2 | 2 | 2 | 2 | 5 |
| Info | Available but not in stock | Available but not in stock | Available but not in stock | Available but not in stock | Available but not in stock |
| Barcode | 5 010646 015059 > | 5 010646 015042 > | 5 010646 015066 > | 5 010646 015073 > | 5 010646 009607 > |

2-in-1 Open Reel Storage - use free standing or wall mounted



| | | | |
|---------------|-------------------------|----------------------------|----------------------------|
| Code | 25-2431 | 25-2475 | 25-2477 |
| Product | 45m Assembled Hose Reel | 60m Hose Reel | 60m Hose Reel |
| Includes | 25m | | 50m |
| Pack Quantity | 2 | 5 | 2 |
| Info | - | Available but not in stock | Available but not in stock |
| Barcode | 5 010646 052221 > | 5 010646 046473 > | 5 010646 046497 > |

Enclosed Reel Storage - added protection for your hose



| | |
|---------------|---|
| Code | 25-2415 |
| Product | Compact Reel • Free standing or wall mounted hose reel with assisted hose layering |
| Includes | 25m |
| Pack Quantity | 2 |
| Info | - |
| Barcode | 5 010646 042635 > |




| | | |
|---------------|--|--|
| Code | 25-2494 | 25-2496 |
| Product | Fast Reel • Free standing reel with easy rewind and automatic hose layering • Portable with folding carry handle | Wall Mounted Fast Reel • Easy rewind and automatic hose layering • With hose guide |
| Includes | 40m | 40m |
| Pack Quantity | 1 | 1 |
| Info | Available but not in stock | - |
| Barcode | 5 010646 034142 > | 5 010646 034135 > |



*Terms and conditions apply. www.hozelock.com/guarantee

Open Cart Storage - easy to move around the garden



| | |
|------------------|---|
| Code | 25-2432 |
| Product | 45m Assembled Hose Cart |
| Includes | • Wheeled hose reel |
| Display Includes | - |
| Pack Quantity | 2 |
| Info | - |
| Barcode |  |



| | |
|------------------|---|
| Code | 25-2398 |
| Product | 60m Hose Cart |
| Includes | • Wheeled hose reel |
| Display Includes | - |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  |




| | |
|------------------|--|
| Code | 25-2488 |
| Product | 60m Hose Cart |
| Includes | • Wheeled hose reel |
| Display Includes | - |
| Pack Quantity | 2 |
| Info | Available but not in stock |
| Barcode |  |



| | |
|------------------|---|
| Code | 25-2489-5 |
| Product | 32 x 2489 |
| Includes | - |
| Display Includes | - |
| Pack Quantity | 32 |
| Info | - |
| Barcode |  |



| | |
|------------------|---|
| Code | 25-2434 |
| Product | 60m Assembled Hose Cart |
| Includes | • Accessory storage on handle |
| Display Includes | - |
| Pack Quantity | 2 |
| Info | - |
| Barcode |  |




| | |
|------------------|--|
| Code | 25-2435 |
| Product | 60m Assembled Hose Cart |
| Includes | • Accessory storage on handle |
| Display Includes | - |
| Pack Quantity | 2 |
| Info | Available but not in stock |
| Barcode |  |



| | |
|------------------|---|
| Code | 25-2448 |
| Product | 90m Assembled Hose Cart |
| Includes | • Accessory storage on handle • Large wheels for stability |
| Display Includes | - |
| Pack Quantity | 1 |
| Info | Available but not in stock |
| Barcode |  |



| | |
|------------------|---|
| Code | 25-2437 |
| Product | 60m Assembled Metal Hose Cart |
| Includes | • Accessory storage on handle |
| Display Includes | - |
| Pack Quantity | 2 |
| Info | Available but not in stock |
| Barcode |  |



| | |
|------------------|---|
| Code | 25-2436 |
| Product | 60m Assembled Metal Hose Cart |
| Includes | • Accessory storage on handle |
| Display Includes | - |
| Pack Quantity | 1 |
| Info | - |
| Barcode |  |



Open Cart Storage - easy to move around the garden

Choose a Metal Hose Cart Pro for extra durability



25-2460

Adjustable height handle



Large wheels lift off ground for stability



5

Pro



| | |
|---------------|--|
| Code | 25-2460 |
| Product | 90m Assembled Metal Hose Cart <ul style="list-style-type: none"> Accessory storage on handle Large wheels for stability |
| Includes |  |
| Pack Quantity | 1 |
| Info | - |
| Barcode |  5 010646 054294 > |

Enclosed Cart Storage - quicker and more comfortable to rewind



25-2416

Handle for smooth layering






25-2416

5

Plus






| | |
|---------------|--|
| Code | 25-2416 |
| Product | Compact Cart <ul style="list-style-type: none"> Wheeled hose reel with assisted hose layering |
| Includes |  30m  |
| Pack Quantity | 1 |
| Info | - |
| Barcode |  5 010646 045278 > |

5

Pro



| | |
|---------------|--|
| Code | 25-2450 |
| Product | Fast Cart <ul style="list-style-type: none"> Wheeled with easy rewind and automatic hose layering Available assembled, or in a part-assembled retail box option |
| Includes |  40m  |
| Pack Quantity | 1 |
| Info | - |
| Barcode |  5 010646 039987 > |

Turn the handle to smoothly rewind the hose in neat layers



25-2450

*Terms and conditions apply. www.hozelock.com/guarantee

HOZELOCK

Hose

Hozelock garden hoses are flexible, strong and easy to use.

Our innovative hose range has the perfect solution for any type of garden to meet all of your watering needs.



Key:



Products with a 2 year guarantee or more



Products that come complete with wall fixings

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on www.hozelock.com

Tuffhoze - advanced hybrid hose technology

Advanced hybrid garden hose, combining the best of two hose technologies.

Traditional PVC:

- Dura-Tech inner core for incredible flexibility and maximum strength.
- High pressure burst resistance 40+ bar, in conjunction with the outer textile layer.
- Constant, high water flow even at low temperatures.
- Guaranteed length.

Textile:

- Tuff-Fibre woven technology ensures enhanced durability for long lasting wear.
- Amazingly flexible, effortless to manoeuvre and store.
- Kink free & ultra lightweight.
- UV resistant & easy to clean.

Includes:



Compared to traditional hoses:

✓ Up to 50% lighter

✓ Kink free & easy to manoeuvre

✓ Super tough & durable



1 Hozelock quick connect system
Compatible with all accessories.

2 Durable Flexi-Nut
Lightweight, flexible anti-fold collar to avoid creases in the hose and maximise water-flow.

3 Guaranteed leak-free fittings
Ensures a water tight connection.

4 Dura-Tech PVC inner core
For maximum flexibility and strength.

5 Tuff-Fibre woven technology
Ensures enhanced durability and ultra light-weight.

*Phthalate free <0.1%



| | 35-8112 | 35-8125 | 35-8135 |
|---------------|-------------------|-----------------|-----------------|
| Code | 35-8112 | 35-8125 | 35-8135 |
| Product | Tuffhoze 12,5m | Tuffhoze 25m | Tuffhoze 35m |
| Includes | | | |
| Pack Quantity | 6 | 4 | 2 |
| Info | - | - | - |
| Barcode | | | |

HOZELOCK

Superhoze - the expanding hose

This amazing hose **expands up to x3** its original length, with guaranteed leak-free fittings to give you a water tight connection.

Superhoze

Expands up to x3 its original length and quickly shrinks back to its original size after use.

Outdoor Tap Connectors

21mm G $\frac{1}{2}$ " (½" BSP) -
26mm G $\frac{3}{4}$ " (¾" BSP)


AquaStop Connectors

Allows you to change your hose end without turning off the tap.

Adjustable Nozzle

Allows you to adjust from a jet to a fine spray.

Includes:



NEW Eco-Friendly packaging



- 1 Hozelock compatible system
- 2 Quality leak-free connection
- 3 Highly elastic core

- 4 Smooth inner to enhance water flow
- 5 Woven textile outer layer

*Phthalate free <0.1%

5



5



5



5



| Code | 35-8215-1 | 35-8230-1 | 35-8240-1 | 35-8215-S |
|---------------|------------------|------------------|------------------|--------------------------------------|
| Product | Superhoze 15m | Superhoze 30m | Superhoze 40m | Superhoze with Hose Hanger 15m |
| Includes | | | | |
| Pack Quantity | 4 | 4 | 4 | 3 |
| Info | - | - | - | Available but not in stock |
| Barcode | | | | |


Watering Hose - durable hose for every garden
















Select General purpose hard wearing hose






- 1 Weather proof with UV and frost protection
- 2 ErgoRibs
- 3 Braided reinforcement
- 4 Smooth inner layer

*Phthalate free <0.1%



|  Ø 12.5mm | Code | 36-6020 | 35-6020-S | 36-6050 |
|---|---------------|--|--|--|
| | Product |  20m |  20m |  50m |
| | Includes | - |  | - |
| | Pack Quantity | 80 | 66 | 36 |
| | Info | - | - | - |
| | Barcode |  5 010646 056656 > |  5 010646 056663 > |  5 010646 056731 > |

|  Ø 15mm | Code | 36-6125 | 36-6150 |
|---|---------------|--|--|
| | Product |  25m |  50m |
| | Includes | - | - |
| | Pack Quantity | 48 | 30 |
| | Info | Available but not in stock | Available but not in stock |
| | Barcode |  5 010646 056762 > |  5 010646 056779 > |

|  Ø 19mm | Code | 36-6225 | 36-6250 |
|---|---------------|--|--|
| | Product |  25m |  50m |
| | Includes | - | - |
| | Pack Quantity | 30 | 22 |
| | Info | - | - |
| | Barcode |  5 010646 056786 > |  5 010646 056793 > |



HOZELOCK

Hose

Watering Hose - durable hose for every garden



Tricoflex Ultraflex Flexible, anti-kink hose

- 1 Weather proof with UV and frost protection
- 2 ErgoRibs
- 3 TNT™ anti-twist technology
- 4 Soft & Flex™ technology
- 5 Smooth inner layer

*Phthalate free <0.1%



| | | | | |
|----------|---------------|-----------|-----------|-----------|
| Ø 12.5mm | Code | 36-117002 | 35-117004 | 36-117009 |
| | Product | 20m | 20m | 50m |
| | Includes | - | | - |
| | Pack Quantity | 64 | 66 | 30 |
| | Barcode | | | |

| | | | |
|--------|---------------|-----------|----------------------------|
| Ø 15mm | Code | 36-117023 | 36-117024 |
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 48 | 30 |
| | Info | - | Available but not in stock |
| | Barcode | | |

| | | | | |
|--------|---------------|----------------------------|-----------|-----------|
| Ø 19mm | Code | 35-117035 | 36-117036 | 36-117037 |
| | Product | 20m | 25m | 50m |
| | Includes | | - | - |
| | Pack Quantity | 30 | 30 | 25 |
| | Info | Available but not in stock | - | - |
| | Barcode | | | |

| | | | |
|--------|---------------|----------------------------|----------------------------|
| Ø 25mm | Code | 36-117041 | 36-117042 |
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 20 | 10 |
| | Info | Available but not in stock | Available but not in stock |
| | Barcode | | |





Tricoflex Ultramax Robust, anti-crush hose

- 1 Weather proof with UV and frost protection
- 2 ErgoRibs
- 3 TNT™ anti-twist technology
- 4 Soft & Flex™ technology
- 5 Smooth inner layer

*Phthalate free <0.1%



| | | | | |
|----------|---------------|-------------------|----------------------------|----------------------------|
| Ø 12.5mm | Code | 36-116241 | 35-116242 | 36-116244 |
| | Product | 25m | 25m | 50m |
| | Includes | - | | - |
| | Pack Quantity | 54 | 54 | 30 |
| | Info | - | Available but not in stock | Available but not in stock |
| | Barcode | 3 506111 162417 > | 3 506111 162424 > | 3 506111 162448 > |

| | | | |
|--------|---------------|----------------------------|----------------------------|
| Ø 15mm | Code | 36-116248 | 36-116249 |
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 48 | 30 |
| | Info | Available but not in stock | Available but not in stock |
| | Barcode | 3 506111 162486 > | 3 506111 162493 > |

| | | | |
|--------|---------------|----------------------------|----------------------------|
| Ø 19mm | Code | 36-116251 | 36-116252 |
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 30 | 25 |
| | Info | Available but not in stock | Available but not in stock |
| | Barcode | 3 506111 162516 > | 3 506111 162523 > |

| | | | |
|--------|---------------|----------------------------|----------------------------|
| Ø 25mm | Code | 36-116255 | 36-116256 |
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 20 | 10 |
| | Info | Available but not in stock | Available but not in stock |
| | Barcode | 3 506111 162554 > | 3 506111 162561 > |



Watering Hose - durable hose for every garden



Super Tricoflex Ultimate

The best by any measure, ultra-light, flexible and robust hose

- 1 Weather proof with UV and frost protection
- 2 Soft & Flex™ technology
- 3 TNT™ anti-twist technology
- 4 Soft & Flex™ technology
- 5 Smooth inner layer



*Phthalate free <0.1%



| Ø 12.5mm | Code | 36-116761 | 36-116787 |
|----------|---------------|-------------------|-------------------|
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 48 | 30 |
| | Info | - | - |
| | Barcode | | |
| | | 3 506111 167610 > | 3 506111 167870 > |

| Ø 15mm | Code | 36-139071 | 36-139084 |
|--------|---------------|----------------------------|----------------------------|
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 42 | 24 |
| | Info | Available but not in stock | Available but not in stock |
| | Barcode | | |
| | | 3 291671 390713 > | 3 291671 390843 > |

| Ø 19mm | Code | 36-139142 | 36-139155 |
|--------|---------------|-------------------|-------------------|
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 30 | 20 |
| | Info | - | - |
| | Barcode | | |
| | | 3 291671 391420 > | 3 291671 391550 > |

| Ø 25mm | Code | 36-048290 | 36-048291 |
|--------|---------------|-------------------|-------------------|
| | Product | 25m | 50m |
| | Includes | - | - |
| | Pack Quantity | 20 | 10 |
| | Info | - | - |
| | Barcode | | |
| | | 3 506110 482905 > | 3 506110 482912 > |



Fittings

Simply click & connect!
Hozelock fittings provide quick and easy connections between the tap, garden hose and accessories.

Made from the highest quality materials they are designed to fit a variety of taps providing a secure leak-free connection every time.

Upgrade to a Pro metal fitting for added strength and durability, plus the added benefit of a 3 year guarantee.

Key:



Products with a 2 year guarantee or more



Products that come complete with wall fixings












Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code




More information on all our products can be found on www.hozelock.com

Outdoor Tap Connectors - for outdoor threaded taps









| | | | | |
|---------------|---|---|---|---|
| |  |  |  |  |
| Code | 21-2184 | 21-2167 | 21-2158 | 21-2169 |
| Product | ½" & ¾" Outdoor Tap Connector <ul style="list-style-type: none"> For outdoor threaded taps Includes adaptor for older tap styles | ¾" Outdoor Tap Connector <ul style="list-style-type: none"> For outdoor threaded taps | 1" Outdoor Tap Connector <ul style="list-style-type: none"> For outdoor threaded taps | Inlet Adaptor <ul style="list-style-type: none"> Hose reel and cart inlet adaptor |
| Size | ø21mm - G½ (½"BSP) ø26,5mm - G¾ (¾"BSP) | ø26,5mm - G¾ (¾"BSP) | ø33,3mm - G1 (1"BSP) | - |
| Pack Quantity | 100 | 10 | 10 | 10 |
| Info | - | - | - | - |
| Barcode |  5 010646 005258 > |  5 010646 005241 > |  5 010646 005234 > |  5 010646 037327 > |
| Bulk Code | 21-62184 | 21-62167 | 21-62158 | |
| Pack Quantity | 25 | 25 | 25 | |
| Info | - | - | - | |
| Barcode |  5 010646 028561 > |  5 010646 010740 > |  5 010646 010726 > | |



| | | | |
|---------------|--|---|---|
| Code | 21-2041 | 21-2046 | 21-2042 |
| Product | ½" & ¾" Outdoor Tap Connector <ul style="list-style-type: none"> For outdoor threaded taps Made from Nickel Plated Brass for durability | ½" Outdoor Tap Connector <ul style="list-style-type: none"> For outdoor threaded taps Made from Nickel Plated Brass for durability | 1" Outdoor Tap Connector <ul style="list-style-type: none"> For outdoor threaded taps Made from Nickel Plated Brass for durability |
| Size | ø21mm - G½ (½"BSP) ø26,5mm - G¾ (¾"BSP) | ø21mm - G½ (½"BSP) | ø33,3mm - G1 (1"BSP) |
| Pack Quantity | 10 | 10 | 10 |
| Info | - | - | - |
| Barcode |  5 010646 052313 > |  5 010646 053099 > |  5 010646 052320 > |





Indoor Tap Connectors - adapt your indoor tap

| | | | |
|---------------|--|--|--|
| |  |  |  |
| Code | 21-2304 | 21-2159 | 21-2274 |
| Product | Indoor Threaded Tap Connector <ul style="list-style-type: none"> For kitchen tap with aerator head | Indoor Threaded Tap Connector <ul style="list-style-type: none"> For kitchen tap with aerator head | Mixer Tap Connector <ul style="list-style-type: none"> For square, round and oval kitchen mixer taps Comes with a choice of sealing washers |
| Size | ø22mm M22 (Female) | ø24mm M24 (Male) | Max. 34mm wide x 43mm |
| Pack Quantity | 10 | 10 | 10 |
| Info | - | - | Available but not in stock |
| Barcode |  5 010646 005265 > |  5 010646 051941 > |  5 010646 008532 > |



Outdoor and Indoor Tap Connectors - for round or oval taps



| | |
|---------------|---|
| Code | 21-2176 |
| Product | Round Tap Connector <ul style="list-style-type: none"> Adjustable stainless steel clip for simple fitting |
| Size | ø14mm - 18mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 005067 > |
| Bulk Code | 21-62176 |
| Pack Quantity | 25 |
| Info | - |
| Barcode |  5 010646 010719 > |

| | |
|---------------|---|
| Code | 21-2177 |
| Product | Round Mixer Tap Connector <ul style="list-style-type: none"> Adjustable stainless steel clip for simple fitting |
| Size | ø20mm - 24mm |
| Pack Quantity | 10 |
| Info | Available but not in stock |
| Barcode |  5 010646 005074 > |



Multi-Tap Outlets - create multiple outlets from one tap



| | |
|---------------|---|
| Code | 21-2256 |
| Product | Dual Control Valve <ul style="list-style-type: none"> Creates two outlets from a single tap Individual outlet control Includes 2289 connector for making a 3 way connection |
| Includes |  |
| Size | ø21mm - G½ (½" BSP) ø26,5mm - G¾ (¾" BSP) |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  5 010646 057042 > |



| | |
|---------------|--|
| Code | 21-2252 |
| Product | 2-Way Tap Connector <ul style="list-style-type: none"> Creates two outlets from a single tap With individual outlet control (adjust flow or switch off) |
| Includes | - |
| Size | ø21mm - G½ (½" BSP) ø26,5mm - G¾ (¾" BSP) ø33,3mm - G1 (1" BSP) |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  5 010646 058018 > |





| | |
|---------------|--|
| Code | 21-2250 |
| Product | 3-Way Tap Connector Flowmax <ul style="list-style-type: none"> Creates three outlets from a single tap Additional Flowmax outlet can be positioned to easily dispense water into a vessel |
| Includes | - |
| Size | ø21mm - G½ (½" BSP) ø26,5mm - G¾ (¾" BSP) ø33,3mm - G1 (1" BSP) |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  5 010646 058001 > |



| | |
|---------------|---|
| Code | 21-2150 |
| Product | 4-Way Tap Connector <ul style="list-style-type: none"> Creates four outlets from a single tap With individual outlet control (adjust flow or switch off) |
| Includes |  |
| Size | - |
| Pack Quantity | 2 |
| Info | - |
| Barcode |  5 010646 021876 > |

Hose Connectors - connect your tap to the hose




| | |
|---------------|--|
| Code | 21-2070 |
| Product | Hose End Connector <ul style="list-style-type: none">• Soft touch for comfort |
| Size | ø12,5mm & 15mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 059466 > |
| Bulk Code | 21-62070 |
| Pack Quantity | 25 |
| Info | - |
| Barcode |  5 010646 059503 > |

| | |
|---------------|--|
| Code | 21-2050 |
| Product | Hose End Connector Plus <ul style="list-style-type: none">• Soft touch for comfort• Flexible tail prevents kinking |
| Size | ø12,5mm & 15mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 051439 > |
| Bulk Code | 21-62050 |
| Pack Quantity | 25 |
| Info | - |
| Barcode |  5 010646 051880 > |

| | |
|---------------|--|
| Code | 21-2050-2050 |
| Product | Hose End Connector Plus Twin Pack <ul style="list-style-type: none">• Soft touch for comfort• Flexible tail prevents kinking |
| Size | ø12,5mm & 15mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 051446 > |

| | |
|---------------|--|
| Code | 21-2060 |
| Product | Hose End Connector Plus <ul style="list-style-type: none">• Soft touch for comfort• Flexible tail prevents kinking |
| Size | ø15mm & 19mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 051477 > |
| Bulk Code | 21-62060 |
| Pack Quantity | 25 |
| Info | - |
| Barcode |  5 010646 051903 > |





| | |
|---------------|---|
| Code | 21-2030 |
| Product | Hose End Connector Pro <ul style="list-style-type: none">• Soft touch for comfort• Flexible tail prevents kinking• Made from zinc alloy for durability |
| Size | ø12,5mm & 15mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 052276 > |



| | |
|---------------|---|
| Code | 21-2040 |
| Product | Hose End Connector Pro <ul style="list-style-type: none">• Soft touch for comfort• Flexible tail prevents kinking• Made from zinc alloy for durability |
| Size | ø15mm & 19mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 052290 > |





Connector Sets



| | |
|---------------|--|
| Code | 25-6005 |
| Product | Hose Connector Set <ul style="list-style-type: none">• Connects hose system to an outdoor tap |
| Includes |  1,5m |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  5 010646 012737 > |


| | |
|---------------|--|
| Code | 21-2352 |
| Product | Watering Starter Set <ul style="list-style-type: none">• Nozzle and connectors for 12,5mm & 15mm hose |
| Includes |  |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 006262 > |

| | |
|---------------|--|
| Code | 21-2372 |
| Product | Watering Starter Set <ul style="list-style-type: none">• Nozzle and connectors for 15mm & 19mm hose |
| Includes |  |
| Pack Quantity | 10 |
| Info | Available but not in stock |
| Barcode |  5 010646 007016 > |

| | |
|---------------|--|
| Code | 21-62355 |
| Product | Fittings and Nozzle Grab Bag <ul style="list-style-type: none">• Nozzle and connectors for 12,5mm & 15mm hose |
| Includes |  |
| Pack Quantity | 50 |
| Info | - |
| Barcode |  5 010646 055772 > |

| | |
|---------------|---|
| Code | 21-2354 |
| Product | Essentials Set <ul style="list-style-type: none">• 177m² Round Sprinkler, Rose Spray, nozzle and connectors for ø 12,5mm & 15mm hose |
| Includes |  |
| Pack Quantity | 8 |
| Info | Available but not in stock |
| Barcode |  5 010646 063203 > |

Not all connectors are made equal, see what makes ours the best



1 Water Stop Valve (AquaStop only)

Manufactured from ABS for impact resistance and rigidity. Stops water after removing the watering device.

2 Connection Grip

Manufactured from Dupont Delrin® Acetal with a silicone additive for ease of use. Triple connect point for the strongest possible connection.

3 Outer Sleeve

Manufactured from ABS for impact resistance and strength with soft touch over-moulding for an enhanced grip.

4 Tough Inner Core

Manufactured from Dupont Delrin® Acetal, one of the most crystalline engineering thermoplastics, to bridge the gap between plastics and metals.

5 Connection Grip

Polypropylene teeth stay resistant to repeated stress and provide a secure hose clamp.

6 Hose Tail (Plus and Pro only)

Manufactured from tough, but flexible Polypropylene for a secure hose connection that prevents kinking.

AquaStop Connectors - switch accessories without wasting water




Plus



Plus



| | |
|---------------|--|
| Code | 21-2075 |
| Product | AquaStop Connector • Soft touch for comfort |
| Size | ø 12,5mm & 15mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 059473 > |

| | |
|---------------|--|
| Code | 21-2055 |
| Product | AquaStop Connector Plus • Soft touch for comfort • Flexible tail prevents kinking |
| Size | ø 12,5mm & 15mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 051460 > |

| | |
|---------------|--|
| Code | 21-2065 |
| Product | AquaStop Connector Plus • Soft touch for comfort • Flexible tail prevents kinking |
| Size | ø 15mm & 19mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 051484 > |

| | |
|---------------|--|
| Code | 21-62075 |
| Pack Quantity | 25 |
| Info | - |
| Barcode |  5 010646 059527 > |

| | |
|---------------|--|
| Code | 21-62055 |
| Pack Quantity | 25 |
| Info | - |
| Barcode |  5 010646 051897 > |

| | |
|---------------|--|
| Code | 21-62065 |
| Pack Quantity | 25 |
| Info | - |
| Barcode |  5 010646 051910 > |

3


Pro



3

Pro



| | |
|---------------|--|
| Code | 21-2035 |
| Product | AquaStop Connector Pro • Soft touch for comfort • Flexible tail prevents kinking • Made from zinc alloy for durability |
| Size | ø 12,5mm & 15mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 052283 > |




















| | |
|---------------|--|
| Code | 21-2045 |
| Product | AquaStop Connector Pro • Soft touch for comfort • Flexible tail prevents kinking • Made from zinc alloy for durability |
| Size | ø 15mm & 19mm |
| Pack Quantity | 10 |
| Info | - |
| Barcode |  5 010646 052306 > |

















21-2075

HOZELOCK

Hose Extend and Repair

| | | | | | |
|---------------|---|---|--|---|--|
| |  |  |  |  |  |
| Code | 21-2293 | 21-2289 | 21-2170 | 21-2291 | 21-2044 |
| Product |  Y Connector <ul style="list-style-type: none">Allows three hoses to be joined using 3 hose connectors |  3/4" Accessory Adaptor <ul style="list-style-type: none">Can be used to turn a female connector into a male connector |  Flat Hose & Spiral Hose Adaptor <ul style="list-style-type: none">Converts the hose end into a female connector |  Double Male Connector <ul style="list-style-type: none">Allows two hoses to be joined using two hose connectors |  Double Male Connector Pro <ul style="list-style-type: none">Allows two hoses to be joined using two hose connectorsMade from Nickel Plated Brass for durability |
| Size | - | ø26,5mm - G¾ (¾" BSP) | ø26,5mm - G¾ (¾" BSP) | - | - |
| Pack Quantity | 10 | 10 | 10 | 10 | 10 |
| Info | - | - | Available but not in stock | - | - |
| Barcode |  5 010646 005104 > |  5 010646 005388 > |  5 010646 007948 > |  5 010646 005203 > |  5 010646 052344 > |
| Bulk Code | 21-62293 | 21-62289 | 21-62170 | 21-62291 | |
| Pack Quantity | 25 | 25 | 25 | 25 | |
| Info | - | - | Available but not in stock | - | |
| Barcode |  5 010646 010801 > |  5 010646 010849 > |  5 010646 010863 > |  5 010646 010856 > | |

| | | | | |
|---------------|--|---|--|---|
| |  |  |  |  |
| Code | 21-2100 | 21-2200 | 21-2043 | 21-2047 |
| Product |  Hose Repair Connector <ul style="list-style-type: none">For repairing damaged hose |  |  Hose Repair Connector Pro <ul style="list-style-type: none">For repairing damaged hoseMade from Nickel Plated Brass for durability |  |
| Size | ø12,5mm & 15mm | ø15mm & 19mm | ø12,5mm & 15mm | ø15mm & 19mm |
| Pack Quantity | 10 | 10 | 10 | 10 |
| Info | - | - | - | - |
| Barcode |  5 010646 005135 > |  5 010646 005333 > |  5 010646 052337 > |  5 010646 059251 > |
| Bulk Code | 21-62100 | 21-62200 | | |
| Pack Quantity | 25 | 25 | | |
| Info | - | - | | |
| Barcode |  5 010646 026765 > |  5 010646 010832 > | | |

Hose End

At Hozelock, we specialise in providing you with the ideal hose end device to match your watering and outdoor cleaning needs.

Features such as lockable flow triggers and soft-touch grips make watering comfortable and hassle free.



Key:










Products with a 2 year guarantee or more

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on www.hozelock.com
















Hose Nozzles - for quick cleaning

| Code | 21-2292 | 21-2294 |
|----------------|--|---|
| Product |  Hose Nozzle • Adjustable from jet to cone |  Hose Nozzle Plus • Lockable on/off with flow control |
| Spray Patterns |  |  |
| Pack Quantity | 10 | 5 |
| Info | - | - |
| Barcode |  5 010646 005180 > |  5 010646 026796 > |
| Bulk Code | 2292A6002 | |
| Pack Quantity | 25 | |
| Info | - | |
| Barcode |  5 010646 010870 > | |

Lances - for long-reach watering








| Code | 22-2697 | 22-2699 |
|----------------|--|--|
| Product |  Lance Spray Plus 90 • Long reach handle of 90cm • Adjustable head angle provides convenience for watering plants at different heights • Lockable variable flow trigger and separate flow control |  Telescopic Lance Spray Plus 140 • Long reach telescopic handle up to 140cm • Adjustable head angle provides convenience for watering plants at different heights • Lockable variable flow trigger and separate flow control |
| Spray Patterns |  |  |
| Pack Quantity | 6 | 6 |
| Info | - | - |
| Barcode |  5 010646 056595 > |  5 010646 056601 > |

Jet Spray Guns - ideal for cleaning tasks



















| Code | 22-2675 | 22-2682 | 22-2690 | 22-2692 | 22-2696 |
|----------------|---|---|--|---|---|
| Product |  Jet Spray • Lockable on/off trigger and thumb operated flow control |  Jet Spray Plus • Lockable variable flow trigger and separate flow control |  Jet Plus • Powder coated die cast metal body • Lockable on/off trigger |  Jet Spray Pro • Premium guns with durable metal accents • Lockable variable flow trigger and separate flow control |  Jet Spray Ultramax • Die cast metal body with soft over moulding • Lockable on/off trigger and separate flow control |
| Spray Patterns |  |  |  |  |  |
| Pack Quantity | 5 | 5 | 6 | 5 | 5 |
| Info | - | - | - | - | - |
| Barcode |  5 010646 062442 > |  5 010646 037594 > |  5 010646 037808 > |  5 010646 058476 > |  5 010646 058490 > |

Rose Spray Gun - ideal for watering plants



| Code | 22-2672-1 | 22-2353-1 |
|----------------|---|---|
| Product |  Rose Spray • Gentle watering ideal for plants • Thumb-operated flow control • Lockable on/off trigger |  Rose Spray Starter Set • Gun and connectors for Ø 12,5mm & 15mm hose |
| Spray Patterns |  |  |
| Includes | - |  |
| Pack Quantity | 24 | 24 |
| Info | - | - |
| Barcode |  5 010646 063036 > |  5 010646 063043 > |

Multi Spray Guns - perfect for watering your garden

| | | | | |
|----------------|---|---|--|---|
| |  |  |  |  |
| | NEW | NEW | NEW | NEW |
| Code | 22-2669 | 22-2340 | 22-2679 | 22-2343 |
| Product |  |  |  |  |
| | Multi Spray • Lockable on/off trigger and thumb operated flow control | Multi Spray Starter Set • Gun and connectors for ø 12,5mm & 15mm hose | Multi Spray • Lockable on/off trigger and thumb operated flow control | Multi Spray Starter Set • Gun and connectors for ø 12,5mm & 15mm hose |
| Spray Patterns |  |  |  |  |
| Includes | - |  | - |  |
| Pack Quantity | 5 | 5 | 5 | 5 |
| Info | - | - | - | Available but not in stock |
| Barcode |  |  |  |  |

| | | | | |
|----------------|---|---|---|--|
| |  |  |  |  |
| | 2 Plus | 2 Plus | 3 Pro | 5 Pro |
| Code | 22-2684 | 22-2691 | 22-2694 | 22-2698 |
| Product |  |  |  |  |
| | Multi Spray Plus • Lockable variable flow trigger and separate flow control | Multi Plus • Powder coated die cast metal body • Lockable on/off trigger | Multi Spray Pro • Premium guns with durable metal accents • Lockable variable flow trigger and separate flow control | Multi Spray Ultramax • Die cast metal body with soft overmoulding • Lockable on/off trigger and separate flow control |
| Spray Patterns |  |  |  |  |
| Pack Quantity | 5 | 6 | 5 | 5 |
| Info | - | - | - | - |
| Barcode |  |  |  |  |

Spray Patterns



Jet



Cone



Fast Fill



Flat



Fine Rose



Mist



Aerated



Angle



Shower



Centre



Round Area Sprinklers - for small or larger round gardens



2

Plus



| | |
|---------------|---|
| Code | 23-2510 |
| Product |  <p>Round Sprinkler</p> <ul style="list-style-type: none"> • 8 jets ensure very even water coverage • Ideal for established plants and turf |
| Area Coverage | Max. Coverage 177m ² 15m diameter |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  <p>5 010646 045520 ></p> |

| | |
|---------------|---|
| Code | 23-2515 |
| Product |  <p>Multi Sprinkler</p> <ul style="list-style-type: none"> • 8 differently shaped spray patterns: small semi circle, large semi circle, mist, strip, small circle, large circle, square and remote jet • Ideal for small gardens |
| Area Coverage | Max. Coverage 79m ² 10m diameter |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  <p>5 010646 045537 ></p> |

| | |
|---------------|---|
| Code | 23-2520 |
| Product |  <p>Round Sprinkler Plus</p> <ul style="list-style-type: none"> • Rotating sprinkler on sled, two spray patterns. • Fine spray for seeds and seedlings, jet spray for turf and established plants |
| Area Coverage | Max. Coverage 254m ² 18m diameter |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  <p>5 010646 045544 ></p> |



2

Plus



2

Plus



2

Pro



2

Pro

| | |
|---------------|--|
| Code | 23-2550 |
| Product |  <p>Pulsating Sprinkler Plus</p> <ul style="list-style-type: none"> • Powerful watering for large areas • Water a full circle or a part of a circle, from 65° to 360° • Adjustable distance and jet shape, between a jet or wide fan • Metal spike |
| Area Coverage | Max. Coverage 450m ² 24m diameter |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  <p>5 010646 057677 ></p> |

| | |
|---------------|--|
| Code | 23-2332 |
| Product |  <p>Round Sprinkler Plus</p> <ul style="list-style-type: none"> • Ultra even coverage due to water powered motor and 5 jets • Metal spike, can water circle or part circle |
| Area Coverage | Max. Coverage 314m ² 20m diameter |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  <p>5 010646 042789 ></p> |

| | |
|---------------|--|
| Code | 23-2335 |
| Product |  <p>Round Sprinkler Pro</p> <ul style="list-style-type: none"> • Ultra even coverage due to water powered motor, two spray patterns • Metal spike, can water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and established plants |
| Area Coverage | Max. Coverage 314m ² 20m diameter |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  <p>5 010646 042802 ></p> |


| | |
|---------------|--|
| Code | 23-2336 |
| Product |  <p>Round Sprinkler Pro</p> <ul style="list-style-type: none"> • Ultra even coverage due to water powered motor, two spray patterns • Water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and established plants |
| Area Coverage | Max. Coverage 314m ² 20m diameter |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  <p>5 010646 042819 ></p> |

Rectangular Area Sprinklers - perfect for square or rectangular areas



23-2969



| | |
|------------------|--|
| Code | 23-2969-5 |
| Product | Rectangular Sprinkler <ul style="list-style-type: none"> Ultra even coverage due to water powered motor and 15 jets Adjustable watering width |
| Area Coverage | Max. Coverage 180m ² 14m x 13m max. |
| Display Includes | 40 x 2969 |
| Pack Quantity | 40 |
| Info | Available but not in stock |
| Barcode |  |

5 010646 037556 >



2

Plus



| | |
|---------------|---|
| Code | 23-2972 |
| Product |  |
| Area Coverage | Rectangular Sprinkler Plus <ul style="list-style-type: none"> Ultra even coverage due to water powered motor and 15 jets Adjustable watering width |
| Pack Quantity | Max. Coverage 180m ² 14m x 13m max. |
| Info | 5 |
| Barcode | - |
| |  |

5 010646 037679 >

2

Plus



| | |
|---------------|---|
| Code | 23-2974 |
| Product |  |
| Area Coverage | Rectangular Sprinkler Plus <ul style="list-style-type: none"> Ultra even coverage due to water powered motor and 17 jets Adjustable watering width |
| Pack Quantity | Max. Coverage 200m ² 15m x 13m max. |
| Info | 5 |
| Barcode | Available but not in stock |
| |  |

5 010646 037686 >

2

Plus




| | |
|---------------|---|
| Code | 23-2975 |
| Product |  |
| Area Coverage | Rectangular Sprinkler Plus <ul style="list-style-type: none"> Ultra even coverage due to water powered motor and 20 jets Adjustable watering width |
| Pack Quantity | Max. Coverage 260m ² 17m x 15m max. |
| Info | 5 |
| Barcode | - |
| |  |

5 010646 037693 >

2

Pro



| | |
|---------------|--|
| Code | 23-2976 |
| Product | Rectangular Sprinkler Pro <ul style="list-style-type: none"> Ultra-even coverage due to water powered motor and 16 jets Two spray patterns - jet and fine spray |
| Area Coverage | Max. Coverage 200m ² 15m x 14m max. |
| Pack Quantity | 2 |
| Info | - |
| Barcode |  |

5 010646 037709 >



23-2976

2

Pro



| | |
|---------------|---|
| Code | 23-2986 |
| Product | Rectangular Sprinkler Pro <ul style="list-style-type: none"> Ultra-even coverage due to water powered motor and 14-20 jets Two spray patterns - jet and fine spray |
| Area Coverage | Max. Coverage 200m ² 15m x 14m max. |
| Pack Quantity | 2 |
| Info | - |
| Barcode |  |

5 010646 052467 >



23-2986

HOZELOCK

Hose End

Multi-function Hose End - convert your gun into a sprinkler



22-2695



2

Plus



Plus



| Code | 22-2695 | 22-2683 |
|---------------|--|--|
| Product | Ultra Twist <ul style="list-style-type: none"> Unique multi-purpose spray gun that quickly converts into a sprinkler Gun with three spray patterns: jet, fast fill & fine rose Sprinkler (area coverage 69m²) Lockable variable flow trigger and separate flow control | Flexi Spray <ul style="list-style-type: none"> Lockable variable flow trigger and separate flow control 4 Functions: <ul style="list-style-type: none"> Lance (60cm long) Gun with three spray patterns: jet, fast fill & fine rose Sprinkler (area coverage 69m²) Hands free watering |
| Pack Quantity | 5 | 5 |
| Info | - | - |
| Barcode | 5 010646 056588 > | 5 010646 054935 > |



22-2683



Brushes - connect to your hose for easier cleaning



Simply click and connect



Plus brushes have a dispenser for your choice of liquid shampoo

| Code | 22-2601-1 | 22-2603-1 | 22-2624-1 | 22-2602 | 22-2604 |
|---------------|--|---|---|---|--|
| Product | Car Wheel Brush <ul style="list-style-type: none"> For cleaning alloy wheels Soft bristled brush with on/off flow control | Short Car Brush <ul style="list-style-type: none"> Soft bristled brush with on/off flow control | Car Brush Twin Pack <ul style="list-style-type: none"> Contains 2601 and 2603 brushes | Short Car Brush Plus <ul style="list-style-type: none"> Soft bristled brush with jet spray and on/off flow control Can be used with any liquid car shampoo | Medium Car Brush Plus <ul style="list-style-type: none"> Soft bristled brush with multi position head and on/off flow control Can be used with any liquid car shampoo |
| Pack Quantity | 3 | 3 | 5 | 3 | 3 |
| Info | - | - | - | - | - |
| Barcode | 5 010646 062824 > | 5 010646 062831 > | 5 010646 062848 > | 5 010646 008204 > | 5 010646 008211 > |





Automatic Watering

Control your garden watering with Hozelock's range of Automatic Watering products - an effective way to save you time, water and effort.

Combine controllers with components to create a bespoke system that can be easily adapted to any outdoor space.

Key:



Products with a 2 year guarantee or more

Pack Quantity - The number of products in an outer carton












Info - The Scandinavian product code


More information on all our products can be found on www.hozelock.com

Automatic Watering



Water more efficiently
Easy to install
See your garden bloom

| | Ready-to-Use Kits | A Tap | B Pipeline | C Dripper | D Sprinkler |
|---|---|--|--|--|--|
|  Universal |  Universal Kit |  Tap Connectors  Pressure Regulator  Controllers |  ø13mm Flexi Hose Fittings |  7005 |  7005 |
|  Balconies and Terraces |  Micro Kit  15 Pot Kit | |  ø4mm Hose Fittings |  7042  7043  2784 2785 7040 |  2788  7005 2787 |
|  Flower Beds |  20 Pot Kit | |  ø4 & ø13mm Hose Fittings |  7042  7043  2784 2785 7040 |  7041  2795 2797 2798 |
|  Vegetable Patches |  Universal Kit | |  ø4 & ø13mm Hose Porous Hose Dripper Hose |  7042  2784 2785 7040 |  2788  2792 2786 2787 |
|  Hedgerows |  25 Pot Kit  Porous Hose | |  ø4 & ø13mm Hose Porous Hose Dripper Hose |  7042  2784 2785 7040 |  2788  2787 |



Universal System - why Easy Drip?



Hozelock Easy Drip is a quick and easy automatic watering system for any garden. Simple to install, the system saves time, water and effort, whilst improving plant growth.

- Modular kits allow you to easily grow your system
- Simple to build from scratch or add to an existing irrigation system
- Easy Drip works seamlessly with all existing systems allowing you to join or extend them together with no fuss.

Easy Drip System - installing Easy Drip is quick and simple



2

ø13mm



2

ø4mm



2

ø13mm



2

ø13mm

| Code | 28-7023 | 28-7024 | 28-7005 | 28-7021 |
|---------------|---|---|---|---|
| Product | Universal Kit <ul style="list-style-type: none"> • Complete watering kit for an area up to 10m² • Perfect for watering borders, beds and vegetable patches • Multiple kits can be connected together to make a larger system | Micro Kit <ul style="list-style-type: none"> • Complete watering kit for up to 15 containers • Great for watering pot plants and hanging baskets • Multiple kits can be connected to make a larger system | Easy Drip Universal Sprinkler/ Dripper (3 Pack) <ul style="list-style-type: none"> • Safe and smooth piercing of the hose for an easy, water tight installation • Water flow can be regulated from 0 to 40 LPH • Each dripper can water up to 100cm in diameter providing extensive coverage • Supplied with an innovative ground peg for easy positioning and angle selection from 0 to 90° | Flexi Hose <ul style="list-style-type: none"> • Micro hose effectively carries water from your tap to individual drippers • Ultra flexible for easy installation and cutting • UV stable construction providing excellent durability and longevity • Can be buried underground for discreet installation |
| Includes | 15m (ø13mm) | 15m (ø4mm) | | 20m (ø13mm) |
| Pack Quantity | 2 | 4 | 3 | 3 |
| Info | - | - | - | - |
| Barcode | | | | |

Ready-to-Use Automatic Watering Kits - the simple way to install your system



Choose between three Ready-to-Use kits according to your needs.

Everything required for an automatic watering system around multiple pots, flowerbed or vegetable patch is included for easy installation.

| | | | |
|----------------------|---|--|--|
| |  |  |  |
| | | | |
| 2 ø4mm | 2 ø4mm | 2 ø4mm ø13mm | |
| Code | 28-2802 | 28-2803 | 28-2804 |
| Product | 15 Pot Watering Kit <ul style="list-style-type: none"> Water your pots, hanging baskets, borders, veg patches and greenhouse plants Control how you water your garden from 5 minutes up to 2 hours to save time, water and effort | 20 Pot Watering Kit <ul style="list-style-type: none"> Automatic watering for patio pots, hanging baskets, borders, veg patches and greenhouse plants The Select Controller provides the flexibility to adjust watering duration, frequency and start time, providing extensive control | 25 Pot Watering Kit <ul style="list-style-type: none"> Automatically control how you water your garden, saving you time, water and effort The Select Controller provides extensive control and flexibility to adjust watering duration, frequency and start time |
| | 2210 Mechanical Timer x1 7022 Pressure Reducer x1 2772 Micro Tube (4mm) 15m 2777 T-Piece Connectors (4mm) x14 2778 Straight Connectors (4mm) x5 2782 Wall Clips (4mm) x5 7043 Drippers with Stake (4LPH) x15 | 2220 Select Controller x1 7022 Pressure Reducer x1 2772 Micro Tube (4mm) 15m 2777 T-Piece Connectors (4mm) x19 2778 Straight Connectors (4mm) x5 2782 4mm Wall Clips (4mm) x5 7043 Drippers with Stake (4LPH) x20 | 2220 Select Controller x1 7022 Pressure Reducer x1 2764 Supply Tube (13mm) 15m 2766 Elbow Connectors (13mm) x2 2767 T-Piece Connector (13mm) x1 7031 End Plug (13mm) x2 2779 Blanking Plugs (13mm) x10 2770 Stakes (13mm) x10 2771 Wall Clips (13mm) x5 2799 Hole Punch x1 2772 Micro Tube (4mm) 10m 2777 T-Piece Connectors (4mm) x14 2778 Straight Connectors (4mm) x10 2782 Wall Clips (4mm) x5 7043 Drippers with Stake (4LPH) x15 2785 End of Line Drippers (4LPH) x10 |
| Includes |  15m (ø4mm) 1x14mm tube, 5x5mm connectors, 1x15mm tube, 1x15mm dripper |  15m (ø4mm) 1x19mm tube, 5x5mm connectors, 1x20mm tube, 1x20mm dripper |  15m (ø13mm) 10m (ø4mm) 1x13mm tube, 2x13mm connectors, 1x10mm tube, 1x10mm dripper, 1x10mm stake, 1x10mm wall clip, 1x10mm hole punch, 1x10mm blanking plug, 1x10mm end plug, 1x10mm elbow connector, 1x10mm supply tube, 1x10mm pressure reducer, 1x10mm select controller |
| Pack Quantity | 5 | 5 | 5 |
| Info | Available but not in stock | Available but not in stock | Available but not in stock |
| Barcode |  5 010646 061094 > |  5 010646 061100 > |  5 010646 061117 > |

Automatic Watering Hose - water your garden without the effort



Dripper Hose

- Dripper hose with drippers integrated every 30cm
- Combine with micro irrigation fittings to efficiently water flowerbeds
- Water flow rate 4 LPH



ø13mm

| Code | 23-7006 |
|---------------|----------------------------|
| Product | Dripper Hose |
| Size | 50m |
| Pack Quantity | 1 |
| Info | Available but not in stock |
| Barcode | 5 010646 063135 > |



Porous Soaker Hose

- Ideal for watering borders, vegetable patches and greenhouses without waste
- Seeps water along the full length of hose



| Code | 23-6762 |
|---------------|--------------------|
| Product | Porous Soaker Hose |
| Size | 15m |
| Includes | |
| Pack Quantity | 5 |
| Info | - |
| Barcode | 5 010646 010313 > |

| Code | 23-6764 |
|---------------|--------------------|
| Product | Porous Soaker Hose |
| Size | 25m |
| Includes | |
| Pack Quantity | 5 |
| Info | - |
| Barcode | 5 010646 012973 > |



Sprinkler Hose

- Perforated flat hose, produces a fine spray
- Using the fitting supplied, two can be joined together



| Code | 23-6755 |
|---------------|-------------------|
| Product | Sprinkler Hose |
| Size | 7.5m |
| Max. Coverage | 27m ² |
| Pack Quantity | 10 |
| Info | - |
| Barcode | 5 010646 006880 > |

| Code | 23-6756 |
|---------------|-------------------|
| Product | Sprinkler Hose |
| Size | 15m |
| Max. Coverage | 54m ² |
| Pack Quantity | 5 |
| Info | - |
| Barcode | 5 010646 009454 > |

Build Your Own: **A** Tap Connection - connect the system to your tap



The tap connection is vital.
It connects the watering system
to the mains water supply.

There are three different ways to make
this connection.

Always use a pressure regulator to control the water pressure to
ensure the best performance.

All installations below can be automated by adding a Hozelock
Water Controller.

Remote Connection

To connect to an area that does not
reach your tap:

Cut a section of hose.

Add Hose Connectors to each end.

Connect the hose and Pressure
Regulator (7022) together.

Attach to a tap with a
Threaded Tap Connector.


- Hose - Page 12-18, 35 & 39
- Tap Connectors - Page 20-21
- Hose Connectors - Page 22-23



Direct Connection

To make a direct
connection to the watering
system, screw the
Pressure Regulator (7022)
directly onto your outside
tap or Automatic Water
Controller.


- Controllers - Page 37-38



Total Flexibility

For the most flexible connection,
use a 4-Way Tap Connector (2150)
and screw the Pressure Regulator (7022)
onto one of the four outlets.

- Multi Tap Outlets - Page 21



2

ø4mm

ø13mm



| | |
|---------------|---|
| Code | 28-7022 |
| Product | Pressure Regulator (1 Pack) |
| | • Reduces tap water pressure to 1,5 bar for optimum performance |
| Inlet Size | Ø 21mm - G½ Ø 26,5mm - G¾ |
| Pack Quantity | 3 |
| Info | - |
| Barcode | |



5 010646 060325 >

Build Your Own: **A** Tap Connection - connect the system to your tap




Automate your system by adding an Automatic Watering Controller.

Water even when you're away on holiday.

Automatic Watering Controllers are easy to set up and operate.

Simply attach them to your garden tap, set the timer for when you want the water to come on, for how long, and how often, turn on and forget about it!



| Code | 28-2210 |
|-------------------|--|
| Product | Mechanical Controller • Manually select, timed watering |
| Watering Schedule | Once a day |
| Watering Duration | Up to 120 minutes |
| Inlet Size | ø21mm - G½, ø26,5mm - G¾, ø33,3mm - G1 |
| Pack Quantity | 5 |
| Info | - |
| Barcode |  5 010646 057943 > |



Select Plus Controller

For ultimate control of your automatic watering, the New Select Controller Plus has the flexibility to programme any time, any day and for any duration, the user may schedule watering with a maximum of three programmes per day.

- The large LCD screen displays all the programme information and can be set up and easily adjusted using the 'Rotate and Push button'.
- Further features include a 'Rain delay' to pause watering as per the weather forecast and a 'Water now' function for immediate watering that will override the schedules for a quick soak of the garden.
- Not sure how to programme your watering? With the Select Controller (2220) you needn't worry, it comes with 16 pre-set programmes to suit you and your garden.

| Code | 28-2220 | 28-2224 |
|-----------------------|--|---|
| Product | Select Controller • 16 preset multi programs • Manual Water Now function | Select Plus Controller • LCD screen Timer with unique "Rotate & Push" button • 3 programmes maximum per day • Rain delay to pause the watering for up to 7 days |
| Watering Schedule | From once a week to four times a day | Any three schedules a day |
| Watering Duration | Up to 60 minutes | Up to 199 minutes |
| Water Now Function | ✓ | ✓ |
| Delay Start | ✓ | ✓ |
| Batteries Required | 2 x AA (LR6) Alkaline | 2 x AA (LR6) Alkaline |
| Battery Level Check | ✓ | ✓ |
| Use with a Water Butt | ✓ | ✓ |
| Inlet Size | ø21mm - G½, ø26.5mm - G¾, ø33.3mm - G1 | ø21mm - G½, ø26.5mm - G¾, ø33.3mm - G1 |
| Pack Quantity | 2 | 2 |
| Info | - | - |
| Barcode |  5 010646 061735 > |  5 010646 062435 > |



28-2224

HOZELOCK

Automatic Watering

Build Your Own: **A** Tap Connection - connect the system to your tap



28-2212



28-2214

Sensor Controller

Sunrise and sunset is the best time to water your garden to avoid leaf scorch and excessive evaporation.

- Sensor Controllers include a daylight sensor that automatically adjusts your daily watering schedule to start at sunrise or sunset.
- Both units are supplied ready to use with the most popular watering schedule of twice a day for 10 minutes.
- Simply insert batteries to get started.

2

| Code | 28-2212 |
|-----------------------|--|
| Product | Sensor Controller |
| Watering Schedule | • Daylight sensor |
| Watering Duration | Daily up to twice a day |
| Water Now Function | Up to 60 minutes |
| Batteries Required | ✓ |
| Battery Level Check | 2 x AA (LR6) Alkaline |
| Use with a Water Butt | ✓ |
| Inlet Size | ✓ |
| Pack Quantity | Ø21mm - G½, Ø26,5mm - G¾, Ø33,3mm - G1 |
| Info | 2 |
| Barcode | - |



5 010646 057950 >

2

Plus

| Code | 28-2214 |
|-----------------------|--|
| Product | Sensor Controller Plus |
| Watering Schedule | • Daylight sensor |
| Watering Duration | From once a week to twice a day |
| Water Now Function | Up to 60 minutes |
| Batteries Required | ✓ |
| Battery Level Check | 2 x AA (LR6) Alkaline |
| Use with a Water Butt | ✓ |
| Inlet Size | ✓ |
| Pack Quantity | Ø21mm - G½, Ø26,5mm - G¾, Ø33,3mm - G1 |
| Info | 2 |
| Barcode | - |



5 010646 057967 >

Cloud Controller

Control your garden watering from your mobile phone! It doesn't matter if you are on holiday or at work - your plants will no longer need to suffer if weather conditions change.

- Easy to use app to control your garden watering from your mobile (Apple or Android operating system) with Hozelock hub and remote tap unit.
- App allows you to remotely set, pause and adjust watering schedules.
- App includes a local weather summary and push notifications to keep you informed about changes to weather patterns.
- Ideal for when you are away from home and weather conditions change, to remotely pause and adjust schedules.
- Each hub can control up to 4 remote tap units.



2

Pro

| Code | 28-2216 |
|-----------------------|--|
| Product | Cloud Controller Kit |
| Watering Schedule | • Requires smartphone with Apple iOS or Android operating system, ethernet port and internet |
| Watering Duration | Up to ten times a day |
| Water Now Function | Up to 180 minutes |
| Batteries Required | ✓ |
| Battery Level Check | 2 x AA (LR6) Lithium/Alkaline |
| Use with a Water Butt | ✓ |
| Inlet Size | ✓ |
| Pack Quantity | Ø21mm - G½, Ø26,5mm - G¾, Ø33,3mm - G1 |
| Info | 1 |
| Barcode | - |



5 010646 057974 >

Download on the
App Store

ANDROID APP ON
Google play



28-2216

Build Your Own: **B** Pipeline & Components - carries water around your system



Hozelock offers a wide range of connectors and accessories to modify, extend and control your Automatic Watering network

Use elbows, 'T' pieces and connectors to make the network and use wall clips and stakes to secure it in place.

The hose can be buried up to 5cm in the ground or covered with mulch.

Build Your Own: **B** Pipeline - carries water around your system

Supply Tube

- High quality 13mm central supply hose for transporting water around your garden.
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity
- Can be buried underground for discreet installation

ø13mm

| | |
|---------------|-------------------|
| Code | 28-2764 |
| Product | Supply Tube |
| Size | 25m |
| Pack Quantity | 5 |
| Info | - |
| Barcode | 5 010646 040181 > |



Micro Tube

- 4mm Micro Tube effectively carries water from your tap to individual drippers
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity
- Can be buried underground for discreet installation

ø4mm

| | |
|---------------|-------------------|
| Code | 28-2772 |
| Product | Micro Tube |
| Size | 10m |
| Pack Quantity | 5 |
| Info | - |
| Barcode | 5 010646 040303 > |

Build Your Own: **B** Pipeline Components - create your network of pipeline



ø13mm



ø13mm

















ø13mm



ø13mm



ø13mm

| Code | 28-2765-1 | 28-2766-1 | 28-2767-1 | 28-2768-1 | 28-2771-1 |
|---------------|--|---|--|--|--|
| Product |  |  |  |  |  |
| |  |  |  |  |  |
| | Flow Control Valves (2 Pack) <ul style="list-style-type: none">Used to control the flow of the water within the 13mm Supply Tube (2764)Ideal for isolating zones of an irrigation system and for reducing flowUV stabilised for long lasting durability and performance | 90° Elbow Connectors (5 Pack) <ul style="list-style-type: none">Designed to prevent 'kinking' when going around cornersOperating pressure range up to 300 kPaUV stabilised for long lasting durability and performance | T-Piece Connectors (5 Pack) <ul style="list-style-type: none">Used with 13mm Supply Tube (2764) to branch off an extra line, or split the pipe in two directionsOperating pressure range up to 300 kPaUV stabilised for long lasting durability and performance | Straight Connectors (5 Pack) <ul style="list-style-type: none">Used with 13mm Supply Tube (2764) to make repairs or extendOperating pressure range up to 300 kPaUV stabilised for long lasting durability and performance | Saddle Clamps (12 Pack) <ul style="list-style-type: none">Secures 13mm Supply Tube (2764) to fences and wallsRequires 2 x screws/nailsUV stabilised for long lasting durability and performance |
| Pack Quantity | 3 | 4 | 6 | 4 | 7 |
| Info | - | - | - | - | - |
| Barcode |  |  |  |  |  |
| | 5 010646 060547 > | 5 010646 060431 > | 5 010646 060479 > | 5 010646 060493 > | 5 010646 060516 > |



ø13mm



ø4mm ø13mm











ø13mm



ø13mm

















ø13mm

| Code | 28-2770-1 | 28-2779-1 | 28-7031 | 28-7032 | 28-7034 |
|---------------|--|--|---|---|---|
| Product |  |  |  |  |  |
| |  |  |  |  |  |
| | Stakes (10 Pack) <ul style="list-style-type: none">Secures the 13mm Supply Tube (2764) in placeUV stabilised for long lasting durability and performance | Blanking Plugs (10 Pack) <ul style="list-style-type: none">Used to seal holes in 13mm Supply Tube (2764)Operating pressure range up to 300 kPaUV stabilised for long lasting durability and performanceCan be used at the end of 4mm Micro Tube (2772) | End Plugs (12 Pack) <ul style="list-style-type: none">Used to terminate runs of 13mm Supply Tube (2764)Operating pressure range up to 300 kPaUV stabilised for long lasting durability and performance | Cross Connectors (2 Pack) <ul style="list-style-type: none">For use with 13mm Supply Tube (2764) to split the flow of waterOperating pressure range up to 300 kPaUV stabilised for long lasting durability and performance | Ratchet Clamps (12 Pack) <ul style="list-style-type: none">Ratchet clamps are used to secure fittings to 13mm Supply Tube (2764) to make a tight and secure unionRequires no tool for installationCan be twisted and unclamped if requiredUV stabilised for long lasting durability and performance |
| Pack Quantity | 2 | 6 | 7 | 7 | 7 |
| Info | - | - | - | - | - |
| Barcode |  |  |  |  |  |
| | 5 010646 060523 > | 5 010646 060387 > | 5 010646 060394 > | 5 010646 060400 > | 5 010646 060585 > |

Build Your Own: **B** Pipeline Components - create your network of pipeline

| | | | | | |
|---------------|--|--|--|---|--|
| |  |  |  |  |  |
| | ø4mm ø13mm | ø4mm ø13mm | ø4mm | ø4mm | ø4mm |
| Code | 28-2799-1 | 28-7033 | 28-2776-1 | 28-2782-1 | 28-2778-1 |
| Product |  |  |  |  |  |
| | Key Punch (1 Pack) <ul style="list-style-type: none"> Punch holes in 13mm Supply Tube (2764) Includes a hex spanner for fitting parts to 4mm Micro Tube (2772) UV stabilised for long lasting durability and performance | Reducing T-Connectors (12 Pack) <ul style="list-style-type: none"> Designed to quickly and easily fit 4mm Micro Tube (2772) to 13mm Supply Tube (2764) to allow for branching off to drippers Operating pressure range up to 300 kPa UV stabilised for long lasting durability and performance | Flow Control Valves 4mm (5 Pack) <ul style="list-style-type: none"> Used to control the flow of the water within a 4mm Micro Tube (2772) Ideal for isolating zones of an irrigation system and for reducing flow UV stabilised for long lasting durability and performance | Wall Clips 4mm (12 Pack) <ul style="list-style-type: none"> Secures 4mm Micro Tube (2772) to wall and fences Comes complete with fitting | Straight Connectors 4mm (12 Pack) <ul style="list-style-type: none"> Used with 4mm Micro Tube (2772) to make repairs or extend and branching from 13mm Supply Tube (2764) Operating pressure range up to 300 kPa UV stabilised for long lasting durability and performance |
| Pack Quantity | 4 | 3 | 4 | 6 | 6 |
| Info | - | - | - | - | - |
| Barcode |  |  |  |  |  |
| | 5 010646 060332 > | 5 010646 060455 > | 5 010646 060738 > | 5 010646 060684 > | 5 010646 060660 > |

| | | | | | |
|---------------|---|---|--|--|---|
| |  |  |  |  |  |
| | ø4mm | ø4mm | ø4mm | ø4mm | ø4mm |
| Code | 28-2781-1 | 28-2777-1 | 28-7029 | 28-7030 | 28-7037 |
| Product |  |  |  |  |  |
| | Peg/Stakes 4mm (12 Pack) <ul style="list-style-type: none"> Secures the 4mm Micro Tube (2772) in place UV stabilised for long lasting durability and performance | T piece Connectors 4mm (12 Pack) <ul style="list-style-type: none"> Used with 4mm Micro Tube (2772) to route irrigation system around the garden Operating pressure range up to 300 kPa UV stabilised for long lasting durability and performance | Micro Support Stakes 4mm (10 Pack) <ul style="list-style-type: none"> Anchors securely into the ground to lift micro sprinklers, sprayers above crops allowing the water to fall from above in a natural rain pattern UV stabilised for long lasting durability and performance | Micro Extension Tube 4mm (10 Pack) <ul style="list-style-type: none"> Extend the height of the dripper by 24cm Several extension pipes can be screwed together UV stabilised for long lasting durability and performance | Elbow Connectors 4mm (12 Pack) <ul style="list-style-type: none"> Barb joiner for easy connection to 4mm Micro Tube (2772) Directing flow of water around corners and preventing pipe kinking Operating pressure range up to 300 kPa UV stabilised for long lasting durability and performance |
| Pack Quantity | 6 | 6 | 4 | 7 | 6 |
| Info | - | - | - | - | - |
| Barcode |  |  |  |  |  |
| | 5 010646 060707 > | 5 010646 060646 > | 5 010646 060356 > | 5 010646 060363 > | 5 010646 060622 > |

Build Your Own: Drippers for precise watering





















To prevent leaf scorch and plant diseases, the micro drippers deliver the water at the base of the plant.

Drippers are used at the base of plants to provide very precise watering to the roots - perfect for saving water!

They are very versatile and can be used in pots on balconies or to water shrubs in your flowerbed.

Some of the drippers, with an integrated pressure compensating technology, guarantee the water flow rate even for sloping ground.

| Code |  ø4mm  | |  ø4mm  ø13mm | |  ø4mm  ø13mm | |  ø4mm | |  ø4mm | |
|-----------------------|--|--|--|--|--|--|---|--|--|--|
| | 28-2784 | | 28-2785 | | 28-7040 | | 28-7042 | | 28-7043 | |
| Product |  | |  | |  | |  | |  | |
| | In-Line Pressure Compensating Drinker (5 Pack) <ul style="list-style-type: none"> • Self-regulating drinker that gives a constant 4 LPH, regardless of water pressure • Built in filter, automatically self cleans and shuts off when pressure is below 1 bar | | End-of-Line Pressure Compensating Drinker (5 Pack) <ul style="list-style-type: none"> • Self-regulating drinker that gives a constant 4 LPH, regardless of water pressure • Built in filter, automatically self cleans and shuts off when pressure is below 1 bar | | Pinch Drip™ Pressure Compensating Drinker (12 Pack) <ul style="list-style-type: none"> • Pressure compensating drinker with a turbulent flow path • Maintains a constant and uniform drip rate of 4 LPH | | CETA® In-Line Pressure Compensating Drinker Spikes (5 Pack) <ul style="list-style-type: none"> • Pressure compensating drinker with a turbulent flow path - delivering a pre set amount of water at different water pressure levels • Blockages minimised with in-built filter • Spike model to anchor drinker at the base of the plant | | Asta® End-of-Line Pressure Compensating Drinker Spikes (5 Pack) <ul style="list-style-type: none"> • Pressure compensating drinker with a turbulent flow path • Sealed to maintain pre-set discharge rates and uniformity • Blockages minimised with in built filter • Spike allows easy and precise positioning for accurately targeting the root zone of plants | |
| Installation | In-Line – ø4mm | | In-Line – ø13mm End-of-Line – ø4mm | | In-Line – ø13mm End-of-Line – ø4mm | | In-Line – ø4mm | | End-of-Line – ø4mm | |
| Adjustable Flow | - | | - | | - | | ✓ | | - | |
| Flow Rate | 4 LPH (1,5 bar) | | 4 LPH (1,5 bar) | | 4 LPH (1,5 bar) | | 4 LPH (1,5 bar) | | 4 LPH (1,5 bar) | |
| Pressure Compensating | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | |
| Pack Quantity | 5 | | 10 | | 4 | | 6 | | 6 | |
| Info | - | | - | | - | | - | | - | |
| Barcode |  | |  | |  | |  | |  | |
| | 5 010646 040426 > | | 5 010646 040433 > | | 5 010646 060950 > | | 5 010646 061001 > | | 5 010646 061018 > | |

Build Your Own: **D** Sprinklers for larger areas



Sprinklers deliver a fine spray over a larger area to water multiple plants

This can mean a quicker installation and less components to purchase but be sure that the water is being directed as close to each plant's base as possible.

Different spray angles, area coverage and adjustable flow can allow you to target the water specifically.

Ideal for your flowerbeds, vegetable patches and hedgerows.

| | | | | |
|-----------------|--|---|---|--|
| |  ø4mm |  ø4mm ø13mm |  ø4mm |  ø4mm |
| Code | 28-2786-1 | 28-2787-1 | 28-2788-1 | 28-7041 |
| Product |  360° Adjustable Mini Sprinklers (12 Pack) <ul style="list-style-type: none">Flow and coverage adjusted by rotating the cap |  360° Adjustable Sprinklers (12 Pack) <ul style="list-style-type: none">Flow and coverage adjusted by rotating the cap |  End-of-Line Adjustable Sprinkler Spikes (5 Pack) <ul style="list-style-type: none">Flow and coverage adjusted by rotating the capIncludes 4mm inlet to connect 4mm Micro Tube (2772) to 13mm Supply Tube (2764) |  360° Spectrum® Adjustable Spray (5 Pack) <ul style="list-style-type: none">Flow and coverage altered by rotating the capSpike model to anchor dripper at the base of the plantIncludes 4mm inlet to connect 4mm Micro Tube (2772) to 13mm Supply Tube (2764) |
| Installation | In-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm |
| Watering Angle | 360° | 360° | 360° | 360° |
| Area Coverage | 60 cm | 60 cm | 60 cm | 350 cm |
| Adjustable Flow | ✓ | ✓ | ✓ | ✓ |
| Flow Rate | 0 ⇄ 40 LPH (1,5 bar) | 0 ⇄ 40 LPH (1,5 bar) | 0 ⇄ 40 LPH (1,5 bar) | 0 ⇄ 80 LPH (1,5 bar) |
| Pack Quantity | 4 | 4 | 10 | 6 |
| Info | - | - | - | - |
| Barcode |  5 010646 060936 > |  5 010646 060820 > |  5 010646 040433 > |  5 010646 060974 > |

Build Your Own: Sprinklers for larger areas

| | | | | | |
|-----------------|---|--|---|--|--|
| |  ø4mm ø13mm |  ø4mm ø13mm |  ø4mm ø13mm |  ø4mm ø13mm |  ø4mm ø13mm |
| Code | 28-2790-1 | 28-2791-1 | 28-2792-1 | 28-2796-1 | 28-2797-1 |
| Product |  90° Micro Spray Jets (12 Pack) <ul style="list-style-type: none">Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |  180° Micro Spray Jets (12 Pack) <ul style="list-style-type: none">Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |  360° Micro Spray Jets (12 Pack) <ul style="list-style-type: none">Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |  Strip Micro Spray Jets (12 Pack) <ul style="list-style-type: none">Produce a fine jet over a narrow stripUse with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |  360° Mist Micro Spray Jet (5 Pack) <ul style="list-style-type: none">Produces a fine mist sprayUse with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |
| Installation | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm |
| Watering Angle | 90° | 180° | 360° | 2 x 20° | 360° |
| Area Coverage | 260 cm | 460 cm | 700 cm | 560 cm | 90 cm |
| Adjustable Flow | - | - | - | - | - |
| Flow Rate | 68 LPH (1,5 bar) | 68 LPH (1,5 bar) | 68 LPH (1,5 bar) | 42 LPH (1,5 bar) | 22 LPH (1,5 bar) |
| Pack Quantity | 6 | 6 | 6 | 6 | 6 |
| Info | - | - | - | - | - |
| Barcode |  5 010646 060882 > |  5 010646 060912 > |  5 010646 060851 > |  5 010646 060806 > |  5 010646 060783 > |

| | | | | | |
|-----------------|---|--|---|--|---|
| |  ø4mm ø13mm |  ø4mm ø13mm |  ø4mm ø13mm |  ø4mm ø13mm |  ø13mm |
| Code | 28-2793 | 28-2794 | 28-2795 | 28-2798 | 28-7005 |
| Product |  90° Adjustable Vari-Jets™ (3 Pack) <ul style="list-style-type: none">Produces a fine sprayUse with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |  180° Vari-Jets™ Adjustable (3 Pack) <ul style="list-style-type: none">Produces a fine sprayUse with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |  360° Vari-Jets™ Adjustable (3 Pack) <ul style="list-style-type: none">Produces a fine sprayUse with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray |  360° Vari Rotor Spray™ Adjustable sprinkler (5 Pack) <ul style="list-style-type: none">Designed to be adjusted to alter flow and coverage'C' Frame design for strength and high distribution uniformity |  Easy Drip Universal Sprinkler (3 Pack) <ul style="list-style-type: none">Safe and smooth piercing of the hose for an easy, water tight installationSupplied with an innovative ground peg for easy positioning and angle selection from 0 to 90° |
| Installation | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm End-of-Line – ø4mm | In-Line – ø13mm |
| Watering Angle | 90° | 180° | 360° | 360° | 360° |
| Area Coverage | 200 cm | 200 cm | 200 cm | 600 cm | 100 cm |
| Adjustable Flow | ✓ | ✓ | ✓ | ✓ | ✓ |
| Flow Rate | 0 ÷ 55 LPH (1,5 bar) | 0 ÷ 55 LPH (1,5 bar) | 0 ÷ 55 LPH (1,5 bar) | 0 ÷ 82 LPH (1,5 bar) | 0 ÷ 40 LPH (1,5 bar) |
| Pack Quantity | 10 | 10 | 10 | 4 | 3 |
| Info | - | - | - | - | - |
| Barcode |  5 010646 040563 > |  5 010646 040570 > |  5 010646 040587 > |  5 010646 060776 > |  5 010646 063128 > |

Watering Solutions

Clever watering solutions provide stress free growing for a vast range of plants.

With solutions for both inside and outside the home ensuring that plants receive the water they need, when they need it.



Key:




Products with a 2 year guarantee or more

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on www.hozelock.com

Aquasolo® - watering cones



28-2715-1



28-2715-1



| Code | 28-2715-1 | 28-2717-1 |
|---------------|--|-------------------------|
| Product | Aquasolo Small <ul style="list-style-type: none"> • Ceramic watering cones with plastic screw adaptor • Compatible with most bottle types from 0.5L to 2L • Perfect for holiday watering • Water plants up to 28 days, depending on cone and pot size • Easy to use • Suitable for indoor and outdoor use • 4 cones per Pack | Aquasolo Medium |
| Size | For pots up to Ø25cm | For pots up to Ø30-40cm |
| Pack Quantity | 8 | 8 |
| Info | - | - |
| Barcode | 5 010646 057516 > | 5 010646 057523 > |



Waterers - stress-free growing for a range of plants



28-2811-1



2

| Code | 28-2811-1 | 28-2813 |
|---------------|--|---|
| Product | Flower & Vegetable Waterer <ul style="list-style-type: none"> 4 capillary water spikes deliver water from 15 litre reservoir directly to plant roots Integrated water level indicator and quick refill access point Base includes three vertical bamboo cane holders | Replacement Capillary Mat Set <ul style="list-style-type: none"> Contains 8 pieces Compatible with 2810 and 2811 |
| Pack Quantity | 2 | 5 |
| Info | - | - |
| Barcode | | |



Natural Gardening

Get into green with natural gardening. Today's gardeners are reaching less for chemicals and more for organic and natural solutions to create their green garden.

Gardens can flourish naturally with the help of Hozelock's new Pure range - a collection of gardening equipment that helps consumers to really connect with their gardens and to care for the environment at the same time.

Combining design features that ensure the highest effectiveness and ease of application for natural products, it's a sure recipe for success.



Photo credit Chantreuil

Key:

- ② Products with a 2 year guarantee or more

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on www.hozelock.com

Hozelock Pure - spray your homemade natural recipes

HOZELOCK
Pure

2





2



3



| | |
|---------------|--|
| Code | 26-4204 |
| Product |  <p>Pure Kit</p> <ul style="list-style-type: none"> • Kit to make home made preparations for the garden and to clean the house • 1.25l pressure sprayer with 360° function to cover all of the plant. Filter to avoid nozzle blockage and specific seals to be compatible with vinegar • Includes additive tank (compatible with spraying head), dosing spoon for easy preparation and recipe booklet |
| Size | 1 x 1.25L, 1 x 1.5L |
| Pack Quantity | 4 |
| Info | - |
| Barcode |  <p>5 010646 060097 ></p> |

| | |
|---------------|---|
| Code | 26-4200 |
| Product |  <p>Pure Sprayer</p> <ul style="list-style-type: none"> • A translucent and graduated bottle for accurate dosing • 11cm long reach nozzle and high-resistance connectors, resistant to corrosive products such as vinegar • Equipped with a filter for liquid manures/infusions • 360° function for spraying the underside of leaves |
| Size | 2L |
| Pack Quantity | 6 |
| Info | - |
| Barcode |  <p>5 010646 058346 ></p> |


| | |
|---------------|--|
| Code | 26-4550 |
| Product |  <p>Pure Sprayer</p> <ul style="list-style-type: none"> • A translucent and graduated bottle for accurate dosing • A fibreglass lance and high-resistance seals, resistant to corrosive products such as vinegar • Equipped with a filter for liquid manure/infusions |
| Size | 5.0L |
| Pack Quantity | 6 |
| Info | - |
| Barcode |  <p>5 010646 058315 ></p> |

Photo credit: Chantreuil

Bokashi Composter - kitchen composter



2





| | | |
|---------------|--|---|
| Code | 28-4193 | 28-4194 |
| Product | <p>Bokashi Composter</p> <ul style="list-style-type: none"> • The simple way to recycle and reduce food waste at home, including meat and fish, with no unpleasant odours • Produces a liquid fertiliser which can be diluted as a plant feed and nutrient rich compost • Includes 4194 Bokashi Bran • Made from recycled plastic | <p>Bokashi Bran</p> <ul style="list-style-type: none"> • Refill for the 4193 • Bokashi bran is a dry mix of bran and molasses and activated by beneficial micro-organisms • These microorganisms accelerate the decomposition process of kitchen waste by encouraging the dehydration of the material |
| Size | 16L | 1kg |
| Pack Quantity | 2 | 10 |
| Info | - | - |
| Barcode |  <p>5 010646 059893 ></p> |  <p>5 010646 059909 ></p> |

Photo credit: Chantreuil

HOZELOCK



Produce homemade nutrient-rich liquid feed out of plants such as nettles and comfrey.

An efficient way to fertilise your plants and to prevent plant diseases.

The closed tank has a lid and mixing action to ensure that the leaves decompose quickly whilst the pungent smell is contained within the mixer.

Easy to use filter to drain the liquid and integrated tap to recover the fertiliser.

How to use it?

- 1 Cut 1kg of plants and place them inside the tank.
- 2 Add 10L water.
- 3 Close the lid, and stir thoroughly every 2 days.
- 4 After about 10-15 days, when there are no longer bubbles rising to the surface, the maceration is complete.
- 5 Filter.
- 6 Recover the liquid fertiliser in an opaque drum.
- 7 Dilute your plant fertiliser with water. The dilution is indicated in the usage booklet. (between 5% and 20%)

Use it with a sprayer or watering can.



| | |
|---------------|---------|
| Code | 28-2028 |
| Product | BioMix |
| Size | 19L |
| Pack Quantity | 2 |
| Info | - |
| Barcode | |



EasyMix 2-in-1 Composter



Tumbling composter for the easy mixing of home and garden waste.

- 3 times faster than conventional composters: compost ready in just 6 to 8 weeks.
- Roll the drum around your garden to distribute the compost with ease.
- Reservoir collects the compost juice, with integrated “Click & Spray” hose applicator to easily fertilise your plants.
- The enclosed lid with lockable lid prevents pests and bad smells.
- Compact design - it will easily find a place in the garden, garage or balcony.
- Manufactured with more than 85% recycled plastic and 100% recyclable.

How to use it?

- 1 Put the waste in the composter and lock the lid.
- 2 Turn the drum to mix the waste and accelerate decomposition for quicker composting.
- 3 The compost is ready after only 6 to 8 weeks of resting. Roll the drum around your garden to distribute the compost.
- 4 Collect your compost juice, a rich liquid fertiliser, using the tank under the composter.
- 5 Fertilise your plants by connecting the “Click & Spray” tank to your garden hose.
- 6 Rinse the tank after use.





3 NEW

| | |
|---------------|---|
| Code | 28-4001 |
| Product | EasyMix 2-in-1 Composter |
| Size | 100L |
| Pack Quantity | 1 |
| Info | Available but not in stock |
| Barcode |  5 010646 063111 > |


HOZELOCK

Electrical Thermal Weeders - weed without chemicals



| | | |
|---------------|---|---|
| Code | 28-4184 | 28-4185 |
| Produit | Green Power Thermal Weeder <ul style="list-style-type: none">• Delivers a thermal shock to the weed (up to 600°C)• Destroys the plant cells and the weed in just a few seconds• Protective shield for precise and targeted treatment• Flameless and easy to use | Green Power Evolution Thermal Weeder <ul style="list-style-type: none">• Delivers a thermal shock to the weed (up to 600°C)• Destroys the plant cells and the weed in just a few seconds• Protective shield for precise and targeted treatment• Flameless and easy-to-use: no chemicals• Firelighter function for quick and easy lighting of barbecues |
| Pack Quantity | 2 | 2 |
| Info | Available but not in stock | - |
| Barcode |  5 010646 057530 > |  5 010646 058025 > |



| | |
|---------------|---|
| Code | 28-4192 |
| Product | Green Power XL Thermal Weeder <ul style="list-style-type: none">• Weed 5 times faster with Green Power XL• It has a powerful 2000W Engine, with 600°C temperature across the whole shield area for efficiency• Comes with two easy-to-change shields:<ul style="list-style-type: none">- XLarge 25cm rectangular shield for gravel, paths, borders- Smaller round shield for lawn, vegetable garden and lighter function• Heating elements are in a ceramic material to increase the product life cycle• Comfortable ergonomic handle, with a second handle to move the product around• Cooling function can be applied when in a horizontal position to cool the product efficiently and safely |
| Pack Quantity | 2 |
| Info | |
| Barcode |  5 010646 060066 > |





28-4177



28-4177



28-4177

The most powerful cordless weeder on the market.

Safe weeding, 2x faster, 4x more economical.*


- Secure weed control thanks to infrared technology: the flame, safely inside the shield, heats the ceramic plate up to 800 °C which will cause a thermal shock to kill the weed.
- Weed large areas with the large 12 x 20cm ceramic plate.
- This product is 2-in-1: it can be used with a gas cartridge and also with a gas bottle.
- Gaz cartridge: up to 3 hours.
Gas cylinder: up to 122 hours.

*compared to a standard Gas Weeder operating with a gas cartridge

2

Pro

NEW

| | |
|---------------|---|
| Code | 28-4177 |
| Product | Green Power Turbo Gas Thermal Weeder <ul style="list-style-type: none"> • Ergonomic handle with piezo ignition and ON / OFF valve • Adapter supplied for connection to a gas cylinder • Wheel for greater freedom of movement |
| Pack Quantity | 2 |
| Info | - |
| Barcode |  5 010646 063074 > |



Sprayers

Sprayers are suitable for applying many different garden chemicals, offering an economical solution to treating large areas effectively and comfortably.

In 2022, Hozelock launches it's new range of sprayers compatible with a variety of different treatments to suit every gardener.

Our product features have the user in mind to ensure maximum efficiency including the innovative new Multi Nozzle which offers the user 3 spray nozzles in 1.

Key:



Products with a 2 year guarantee or more

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on www.hozelock.com

Trigger Sprayers - for small tasks in the home or garden

2



2



2



| Code | 26-4119 |
|---------------|--|
| Product |  <p>Kaléido</p> <ul style="list-style-type: none"> • Wide base for stability • Filter at the end of the dip tube • Nozzle adjustment from jet to mist |
| Size | 0,7L |
| Pack Quantity | 20 |
| Info | Available but not in stock |
| Barcode |  <p>5 010646 056168 ></p> |

| Code | 26-4118 |
|---------------|---|
| Product |  <p>Trigger Sprayer 0,8L</p> <ul style="list-style-type: none"> • Filter at the end of the dip tube • Nozzle adjustment from jet to mist |
| Size | 0,8L |
| Pack Quantity | 50 |
| Info | Available but not in stock |
| Barcode |  <p>5 010646 056151 ></p> |



| Code | 26-4023 |
|---------------|---|
| Product |  <p>Pulsar 1L</p> <ul style="list-style-type: none"> • Side filler cap for an easy filling and emptying • Nozzle adjustment from jet to mist • Ergonomic trigger |
| Size | 1L |
| Pack Quantity | 24 |
| Info | Available but not in stock |
| Barcode |  <p>5 010646 062008 ></p> |

2



2



| Code | 26-4021 | 26-4022 |
|---------------|--|---|
| Product | <p>T1 Evolution</p> <ul style="list-style-type: none"> • 11cm long reach nozzle • Nozzle adjustment from jet to mist • Metal pump rod for effective pumping • Lockable on/off spraying • Translucent gauge to check volume level | <p>T2 Evolution</p> |
| Size | 1L | 1,5L |
| Pack Quantity | 12 | 12 |
| Info | Available but not in stock | Available but not in stock |
| Barcode |  <p>5 010646 061988 ></p> |  <p>5 010646 061995 ></p> |



2



2



2








2



2



| Code | 26-4120 | 26-4121 | 26-4124 | 26-4122 | 26-5102 |
|---------------|---|---|--|---|---|
| Product | <p>Spraymist Trigger Sprayer</p> <ul style="list-style-type: none"> • Perfect for indoor or balcony watering • Translucent, graduated bottle • Nozzle adjustment from jet to mist | | <p>Pressure Sprayer</p> <ul style="list-style-type: none"> • Translucent gauge to check volume level • Lockable on/off spraying • 11cm long reach nozzle • Nozzle adjustment from jet to mist | <p>Spraymist Pressure Sprayer</p> <ul style="list-style-type: none"> • Lockable on/off spraying • Wide opening for an easy filling and emptying • Anti-theft nozzle • Easy to pressurise pump • Nozzle adjustment from fine jet to mist | <p>Viton Pressure Sprayer</p> <ul style="list-style-type: none"> • Equipped with Viton fluoroelester seals for use with aggressive chemicals • Lockable on/off spraying • Adjustable nozzle from jet to mist • Anti-theft nozzle |
| Size | 0,5L | 1L | 1L | 1,25L | 1,25L |
| Pack Quantity | 50 | 20 | 6 | 6 | 6 |
| Info | - | - | - | - | - |
| Barcode |  <p>5 010646 048668 ></p> |  <p>5 010646 048675 ></p> |  <p>5 010646 056809 ></p> |  <p>5 010646 048682 ></p> |  <p>5 010646 048842 ></p> |

Pressure Sprayers - easy and accurate application for all uses



STANDARD


PULSAR PLUS

PULSAR VITON



| Code | 26-4230 | 26-4231 | 26-4232 | 26-4310 | 26-4311 | 26-4312 | 26-5310 | 26-5311 |
|---|----------------------------|-----------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------|
| Product | Standard 5L | Standard 7L | Standard 10L | Pulsar Plus 5L | Pulsar Plus 7L | Pulsar Plus 12L | Pulsar Viton 5L | Pulsar Viton 7L |
| 3 bar Safety valve | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Translucent Graduated Tank | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Lance clip stores equipment | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Spillproof trigger - not one drop of treatment lost | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Adjustable Carrying Strap | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 2-handed pumping handle | - | - | - | ✓ | ✓ | ✓ | ✓ | ✓ |
| Tank Base for Stability | - | - | - | ✓ | ✓ | ✓ | - | ✓ |
| Dosing Cap | - | - | - | ✓ | ✓ | ✓ | ✓ | ✓ |
| Ergonomic trigger with filter | - | - | - | ✓ | ✓ | ✓ | ✓ | ✓ |
| 1 bar pressure regulator | - | - | ✓ | - | - | ✓ | - | - |
| Adjustable Nozzle (jet to mist) | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| Multi Nozzle - 3in1 spray patterns | - | - | - | - | ✓ | ✓ | ✓ | ✓ |
| Viton Seals | - | - | - | - | - | - | ✓ | ✓ |
| Polypropylene lance | 20cm | 30cm | 30cm | - | - | - | - | - |
| Aluminium lance | - | - | - | 30cm | 40cm | 60cm | - | - |
| Composite lance + 20 cm flexible nozzle | - | - | - | - | - | - | 40cm + 20cm | 40cm + 20cm |
| Size | 5L | 7L | 10L | 5L | 7L | 12L | 5L | 7L |
| Pack Quantity | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Info | Available but not in stock | - | Available but not in stock | Available but not in stock | Available but not in stock | Available but not in stock | Available but not in stock | - |
| Barcode | 5 010646 062619 | 5 010646 062633 | 5 010646 062654 | 5 010646 062671 | 5 010646 062688 | 5 010646 062695 | 5 010646 062701 | 5 010646 062718 |

Pressure Sprayers - easy and accurate application for all uses



26-4140-1



| | |
|---------------|--|
| Code | 26-4507-DES |
| Product | Disinfection Sprayer <ul style="list-style-type: none"> A high quality, convenient sprayer designed for the safe use of bleach (Liquid bleach diluted at 2% – 5% maximum) Flat fan nozzle for large treatment areas and high chemical resistance fibreglass lance 30cm 3 bar pressure valve Large tank opening, for easy filling, emptying and mixing Ergonomic trigger handle with integrated filter Translucent, graduated bottle for accurate chemical mixing and dosing |
| Size | 7L |
| Pack Quantity | 6 |
| Info | Available but not in stock |
| Barcode | |



26-4507-DES

Knapsack Sprayers - ideal for large gardens



| | | |
|---------------|---|--------------------------------|
| Code | 26-4712-2 | 26-4716-2 |
| Product | Pulsar Plus Comfort 12L <ul style="list-style-type: none"> Maximum comfort: a unique ergonomic design with a curved tank is easy to use left-handed or right-handed Easy pumping action: the perfect compromise between power and frequency, with an ergonomic handle Lockable lever, either in use or in storage Comes with a filter, mixer, Multi Nozzle (3in1 spray patterns to suit your treatment) and 60cm aluminium lance 1 bar pressure regulator Reinforced and adjustable comfort carry straps | Pulsar Plus Comfort 16L |
| Size | 12L | 16L |
| Pack Quantity | 2 | 2 |
| Info | - | - |
| Barcode | | |

HOZELOCK

Electric Sprayer



26-4615

2

Pro

26-4615

Code

Product

Electric Sprayer

15L

- 15L tank with translucent graduated marks and shoulder straps
- 3 levels of pressure = 1 bar, 3 bar and one position for high flow
- Duration between 2.5 to 4.5 hours (depending of the level of pressure used)
- Lithium ion battery, easy to fit. Battery charge indicator and quick charging in 4 hours
- Wide opening hole (130 cm) with filter to prevent pump blockages
- Comes with 60cm aluminium lance and compatible with all Hozelock accessories

Size

15L

Pack Quantity

1

Info

-


Barcode



5 010646 062787 >



Syringe Sprayers



3

Code

26-4412

Product

Seringa Sprayer

- Double action trombone sprayer
- High operating pressure (8-10 bar) for high treatments (up to 7m)
- Adjustable nozzle from jet to mist
- Ergonomic lance handle
- Tank stays on floor at all times connected to a 5m hose so the user stays safe
- Strainer to filter liquids to avoid clogging the nozzle

Size

-

Pack Quantity

2


Info

Available but not in stock

Barcode



5 010646 062725 >



26-4412

Sprayer Accessories - sprayer spares available from www.hozelock.com



Code

26-4424

Product

Multi Jet Nozzle

- A unique, practical and compact nozzle holder with 3 integrated nozzles, for all types of treatment
- Wide flat fan nozzle 35-95cm for spraying weeding treatments over large areas
- Narrow fan nozzle 20-60cm for spraying DIY applications more precisely
- Conical mist nozzle for a good coverage of insecticide or fungicide application on a shrub or bush
- Compatible with all 8mm lances and easy to take apart to clean

Pack Quantity

5

Info

-

Barcode



5 010646 062077 >



1 Wide fan 35-95cm



2 Narrow fan 20-60cm



3 Conical mist to jet nozzle









Sprayer Accessories - sprayer spares available from www.hozelock.com

Weed Control











| | | | | | | | | | | | | | | |
|---------------|---|---|---------------|---|---|---------------|---|---|---------------|--|---|---------------|---|---|
| Code | 26-4404 |  | Code | 26-4422 |  | Code | 26-4405 |  | Code | 26-4406 |  | Code | 26-4401 |  |
| Product | 2 Nozzle Treatment Boom | | Product | Weed Nozzle Kit | | Product | Round Cone | | Product | XL Cone | | Product | Pressure Regulator 1 Bar | |
| Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | |
| Info | - | | Info | - | | Info | Available but not in stock | | Info | - | | Info | - | |
| Barcode |  | | Barcode |  | | Barcode |  | | Barcode |  | | Barcode |  | |
| | 5 010646 059718 > | | | 5 010646 062053 > | | | 5 010646 059725 > | | | 5 010646 059732 > | | | 5 010646 059688 > | |

Sprayer Maintenance

| | | | | | | | | |
|---------------|---|---|---------------|---|--|---------------|---|---|
| Code | 26-4400 |  | Code | 26-4419 |  | Code | 26-4421 |  |
| Product | Viton Trigger | | Product | Complete Lance and Trigger | | Product | Adjustable Nozzle | |
| Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | |
| Info | - | | Info | - | | Info | - | |
| Barcode |  | | Barcode |  | | Barcode |  | |
| | 5 010646 059671 > | | | 5 010646 062022 > | | | 5 010646 062046 > | |

| | | | | | | | | |
|---------------|---|---|---------------|---|--|---------------|---|---|
| Code | 26-4402 |  | Code | 26-4212 |  | Code | 26-4403 |  |
| Product | T7/Pulsar Service Kit - 5/7/12L | | Product | Pulsar Comfort Service Kit - 12/16L | | Product | Flexible Nozzle | |
| Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | |
| Info | - | | Info | - | | Info | - | |
| Barcode |  | | Barcode |  | | Barcode |  | |
| | 5 010646 059695 > | | | 5 010646 060158 > | | | 5 010646 059701 > | |

High Treatments/Lance Extension

| | | | | | | | | | | | | | | |
|---------------|---|---|---------------|---|---|---------------|---|---|---------------|--|---|---------------|---|---|
| Code | 26-4408 |  | Code | 26-4420 |  | Code | 26-4409 |  | Code | 26-4423 |  | Code | 26-4410 |  |
| Product | Composite Lance 0,60m | | Product | Aluminium Lance 2 x 0,60m | | Product | Telescopic Tube 1m | | Product | Telescopic Lance 2,40m | | Product | Telescopic Lance 3,60m | |
| Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | | Pack Quantity | 5 | |
| Info | - | | Info | - | | Info | - | | Info | Available but not in stock | | Info | Available but not in stock | |
| Barcode |  | | Barcode |  | | Barcode |  | | Barcode |  | | Barcode |  | |
| | 5 010646 059749 > | | | 5 010646 062039 > | | | 5 010646 059756 > | | | 5 010646 062060 > | | | 5 010646 059763 > | |



<https://www.hozelock.se/support/kataloger/>

As part of our commitment to continuous product improvement we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in this catalogue.

Please note that not all products are available in all markets.

For spare & accessory information please visit,
<https://spares.hozelock.com/>

HOZELOCK

Hozelock AB
Box. 1119
436 23 Askim
SWEDEN

Sverige:
031-28 97 20
www.hozelock.se

Danmark:
64 72 36 07
www.hozelock.dk

Suomi:
09-2707 8392
www.hozelock.fi

WA22 3920

