

Raised Pond 02-03 Aquarium **Pond System** 04-05 **In-Pond Filters** EasyClear 06-07 **In-Ground Filters** Bioforce Revolution • Bioforce Revolution Filter Kits 08-09 **Above-Ground Filters** Ecocel Ecopower+ 08-09 **Ultra Violet Clarifiers** Vorton 10-11 Filter & Waterfall Pumps Aquaforce 12-13 Fountain & Waterfall Pumps Cascade 12-13 **Solar Powered Pumps** 14-15 **Air Pumps Pond Care** 14-15 **Pond Vac** 16-17 **Tidy Up Accessories** Pond Grabber Blanket Weed Brush Pond Glove **Pond Nets** 16-17 **Pond Cover Nets** 16-17 16-17 **Water Treatments Pond Accessories** 18-19 Fish Feeder **Pond Liner** 18-19 **Pond Hose** 18-19 **Pond Hose Connectors** 20-23



Aquarium

Decorative outdoor water feature





Raised Pond















Aquarium

The appeal for water features as a place to relax and unwind in the modern garden remains very strong. But often the space and time required to build and establish traditional ponds is not compatible with consumers who have smaller gardens and demand more convenient solutions for every aspect of their life.

Now anyone can fulfil their aspirations of having an attractive water feature with the new outdoor decorative aquarium. Installation is convenient and easy to complete in around 30 minutes with no digging, tools or construction expertise required.

The result is an above-ground water feature complete with a modern decorative finish and side viewing windows that allow you to observe fish from a natural perspective in an ideal environment for successful fish keeping.

This is a great way to experience the pleasures of a pond, perhaps for the first time or as an experienced former owner but without the traditional drawbacks of a prolonged and difficult installation process.

Code	24-3085
SAP Code	100-001-516
Product	Aquarium
Pond Capacity	500LTR (110GALS)
Size	0.95m x 0.95m x 0.7m (3' 1" x 3' 1" x 2' 4")
Recomended Pump - without Fish	3354 Cascade 1500 3344 Cascade 4000
Recomended Pump - with fish	1760 EasyClear 3000
Pack Quantity	1
Info	-
Barcode	5 010646 059619 >

In Pond Filters



EasyClear

The award winning fully integrated filtration system

The EasyClear range comprises five units for ponds up to 3000, 4500, 6000, 7500 and 9000 litres

These fully integrated units combine a pump, filter and UVC and can be completely hidden in the pond.

They provide the consumer with a product that will provide clear and healthy water, easy

installation, and an attractive fountain and/or waterfall



EasyClear Benefits:

Clear water

- The UVC eliminates green water.
- Filter foam sieves out solid particles in the water.

Healthy Water

- Kaldnes™ biomedia ensures that the water is healthy for fish and plants.
- The Kaldnes[™] biomedia is now stored under the foams in gauze bags for quick and easy cleaning.

Fountain & Waterfall

- Reliable and attractive fountain and waterfall display. (EasyClear 6000, 7500 & 9000 can run a fountain and waterfall simultaneously. EasyClear 3000/4500 can run a fountain or waterfall).
- 3 fountainhead options for consumer display choice (2 tier, 3 tier and bell).

Easy Installation

- One power cable for simple and cost effective installation.
- Ball joint for easy levelling of the fountainhead.
- Feet for stability.
- Fountain stem extension for varying pond depths.
- Independent flow control to adjust the size of the fountain.
- Independent flow control to adjust the size of the waterfall.

Easy Maintenance

- Latch for tool free access for cleaning foams and Kaldnes™ biomedia.
- Anti-clog fountain strainer for low maintenance.
- Bayonet fitting for easy access to the UVC for cleaning and changing.
- Water bypass allows continued UVC and fountain operation if foam is blocked.

















	Community of
Code	24-1760
SAP Code	100-004-522
Product	EasyClear 3000
Maximum Pond Size	3,000LTR (660GALS)
Maximum Flow	1,260грн (277дрн)
Total Fish Length	72cm (2' 4")
Fountain or Waterfall	✓
Fountain & Waterfall	-
Maximum Fountain Height	0.70m (2' 3")
Bell Jet Diameter	0.40m (1' 4")
Waterfall Height	0.50m (1' 8")
Waterfall Width	0.08m (3")
UVC Bulb	5w
Watts	25w - 230v
Cable Length	10m (33')
Pack Quantity	2
Info	
Barcode	

Amanugumu (*	
24-1762	
100-004-524	
EasyClear 4500	
4,500ltr (990gals)	
1,260грн (277дрн)	
108cm (3' 6")	
✓	Ī
	Ī
0.70m (2' 3")	Ī
0.40m (1' 4")	Ι
0.50m (1' 8")	
0.08m (0' 3")	
7w	Ξ
28w* - 230v	Π
10m (33')	Ξ
2	Π
Not in stock	Ξ
5 010646 056496 >	5

100-004-526
EasyClear 6000
6,000LTR (1,320GALS)
1,700грн (374дрн)
144cm (4' 8")
-
✓
1.60m (5' 3")
0.60m (2')
0.60m (2')
0.13m (5")
9w
40w - 230v
10m (33')
2
-
5 010646 056502







In Ground Filters



Bioforce Revolution

A Pressurised Pond Filter that makes pond maintenance quick and easy, no more dirty hands, simply wind the handle to clean





Bioforce Revolution

The Bioforce Revolution range features a patented, easy clean system and is combined with a 3 step filter process:

UVC

 Enhanced wattage UVC Bulb to eliminate green water. Contained in a quick access chamber for trouble free replacement with viewing window that glows when operating and integrated turbulator.

Biological Filtration

 Large surface area Kaldnes™ K3 biological media, accommodates beneficial bacteria in a bug bungalow, to maintain clear and healthy water.

Mechanical Filtration

- A new approach using foam cubes, provides increased surface area for bacteria growth and facilitates easy cleaning mechanism.
- Unique winding handle activates paddles inside the chamber and agitates the foam cubes and loosens accumulated green sludge.
- Diverter valve is switched to direct unwanted dirty water to surrounding garden areas outside the pond.

Flexible and un-obtrusive

Bioforce Revolution is pre-assembled for easy installation with a new pond or an existing filtration system.

The unit can be hidden at the side of a pond or buried in the ground up to the level of hose inlets.

The pressurised filter allows the water to be pumped to a higher exit point to create relaxing waterfalls.







Bioforce Revolution 12000 UVC

12,000LTR (2,640GALS) 4,000LPH (880GPH)

335cm (11')

Total Fish Lengtl UVC Bulb

Hose Diamete 25 - 40mm (1" - 1½")

Pack Quantity Info

Barcode

Maximum Pond Size







Bioforce Revolution 18000 UVC

18,000LTR (3,960GALS)

6,000LTR (1,320GALS)

503cm (16' 6")

25 - 40mm (1" - 1½")







Bioforce Revolution 28000 UVC 28,000LTR (6,160GALS)

8,000LTR (1,760GALS)

782cm (25' 8")

25 - 40mm (1" - 1½")







Bioforce Revolution Filter Kits

The complete filtration system for clear and healthy ponds

Combining the convenience of a Bioforce pressurised filter with a powerful


and efficient, solids handling Aquaforce pump creates a complete filtration system

010646 055123

backed by the Hozelock Cyprio Clearwater Guarantee.










Above Ground Filters





Ecofilters

For ponds up to 20,000 litres (4,400 gallons)

Ecocel


These above ground filters combine mechanical and biological filtration to keep ponds clear and healthy. When combined with a Vorton UVC, green water algae will be eliminated.

Ecopower+

These high performance above ground filters combine mechanical and biological filtration and an intergrated high wattage UVC. These filters come with a Clearwater Guarantee.







Vorton

High efficiency Ultra Violet Clarifier (UVC) eliminates green water

The Vorton range offers the optimum UVC power for the recommended pond size. Higher powered UVC bulbs help maximise the elimination of algae.

All Vortons in the range come with 5 metres of cable, are easy to install and maintain and come with 2 years warranty and a Clearwater Guarantee.













5,000LTR (1,100GALS)

Recommer Pump Size 1,250 LPH (275 GPH)

Not in stock

Total Fish Length 79cm (2'6")

UVC Bulb Vorton 11

Hose Diamete 25 - 40mm (1" - 1½")

Pack Quantity

Info

Barcode

Product

Maximum Pond Size

UVC Bulb Hose Diameter

Barcode

Product

UVC Bulb Maximun Pond Size With Fish

Hose Diamete

Pack Quantity

Barcode

Pack Quantity Info

Recommended Pump Size

Product



5 010646 036856





5,000LTR

24-3922

100-001-582

Ecocel 10000

10,000LTR (2,200GALS)

2,500LTR (550GALS)

157cm (5' 2")

Vorton 24

25 - 40mm (1" - 1½")

Not in stock









24-1862

100-004-540

Ecopower+ 8000 UVC*

8,000LTR (1,760GALS)

2,000 грн (440 грн)

25 - 40mm (1" - 1½")

170cm (5' 6")







24-1864

100-004-542

Ecopower+ 12000 UVC*

12,000LTR (2,640GALS)

3,000LTR (660GALS)

25 - 40mm (1" - 1½")

254cm (8' 4")

















20,000LTR (4,400GALS)

5,000LTR (1,100GALS)

435cm (14' 3")

25 - 40mm (1" - 1½")












*Provisional rating information



FILTER









24-1554
100-004-492
Vorton 18
18w
6,000LTR (1,320GALS)
3,000грн (660дрн)
25 - 40mm (1" - 1½")
1
Not in stock
5 010646 053693 >

)	1
24-1557	
100-004-494	
Vorton 36	
36w	
12,000ltr (2,640gals)	
6,000грн (1,320дрн)	
25 - 40mm (1" - 1½")	
1	
Not in stock	

Not in stock	
5 010646 053709	>

24-1558
100-004-496
Vorton 55
55w
18,500ltr (4,070gals)
9,250грн (2,035дрн)
25 - 40mm (1" - 1½")
1
Not in stock



Filter and Waterfall Pumps



Aquaforce

Solids Handling Pumps for filtration, waterfalls and watercourses



Aquaforce

Performance

The Hozelock range of Aquaforce pumps is powerful and power efficient but also flexible for different consumer needs.

The Aquaforce range has improved flow rates to ensure water clarity and waterfall power are optimised. The range also has improved wattages, which means consumers will be delighted with the reduced running costs.

The motors feature a water-cooling system, which ensures that the pumps are kept at a constant temperature and reduce the risk of overheating. Ceramic bearings along with thrust washers ensure the motors are ultra reliable.

Extensive testing has been carried out to ensure the reliability of the pumps and a 5-year guarantee is offered for all models.

The Aquaforces have a considerably increased cage surface area, which allows the maximum amount of waste to be collected and pumped to the filter system. It also means that the cage is far less likely to clog, which will save the consumer from constant cleaning.

Features

All Aquaforces come with a wildlife protection insert that allows the consumer to reduce the inlet solids diameter from 6mm/10mm (dependant on model) to 2mm. This prevents wildlife such as tadpoles, newts and small fish getting into the cage.

The larger Aquaforces (6000, 8000, 12000 & 15000) are all able to operate amphibiously.

These larger models feature a second inlet, which allows the consumer to operate an optional skimmer or satellite filter. Additionally the included flow control also allows the consumer to adjust the flow of water to their waterfall or filter. It also allows the consumer to control the amount of water being drawn from the second inlet.

Easy Installation and Maintenance

Sturdy carry handle helps with installation and maintenance.

The cage clips allow the consumer easy, tool free access to the pump for maintenance.

As with all Hozelock Cyprio products the new Aquaforce pumps have a full spares support package.









FILTER

UVC

Code	24-1580
SAP Code	100-004-500
Product	Aquaforce 1000
Maximum Flow	1,000LPH (220GPH)
Maximum Head	1.50m (4' 11")
Flow @ 1m	700LTR (155GALS)
Solids Handling Range	2 - 6mm
Waterfall Width @ 0.6m	0.06m (2")
Waterfall Width @ 1.0m	0.05m (2")
Watts	25w
Hose Diameter	25 - 40mm (1" - 1½")
Pack Quantity	2
Info	Not in stock
Barcode	

24-1581
100-004-504
Aquaforce 2500
2,500LPH (550GPH)
2.10m (6' 11")
1,850ltr (410gals)
2 - 6mm
0.19m (7")
0.16m (6")
30w
25 - 40mm (1" - 1½")
2
-

24-1582
100-004-507
Aquaforce 4000
4,000грн (880дрн)
2.50m (8' 2")
3,000LTR (660GALS)
2 - 6mm
0.36m (1' 2")
0.25m (1')
50w
25 - 40mm (1" - 1½")
2
-
and the second s

24-1583
100-004-509
Aquaforce 6000
6,000LPH (1,320GPH)
3.50m (11' 6")
5,550ltr (1,220gals)
2 - 10mm
0.49m (1' 7")
0.42m (1' 5")
65w
25 - 40mm (1" - 1½")
2
-









	24-1584
	100-004-511
	Aquaforce 8000
	8,000LPH (1,760GPH)
	4.00m (13'1")
	7,400ltr (1,630gals)
3	2 - 10mm
	0.69m (2' 3")
	0.63m (2' 8")
	95w
	25 - 40mm (1" - 1½")
	2

Flow @ 1m Solids Handli Range Waterfall Width @ 0.6m Waterfall Width @ 1.0m Watts Hose Diamete Pack Quantity Info

Barcode



100-004-513
Aquaforce 12000
12,000LPH (2,640GPH)
5.00m (16' 5")
10,800ltr (2,375gals)
2 - 10mm
1.00m (3' 3")
0.89m (2' 11")
130w
25 - 40mm (1" - 1½")
1



Aquatorce 15000
15,000грн (3,000дрн)
5.70m (18' 8")
13,100ltr (2,880gals)
2 - 10mm
1.20m (3' 11")
1.10m (3' 7")
180w
25 - 40mm (1" - 1½")
1
-










Fountain and Waterfall Pumps









Use a Cascade for:

Fountains

They all come complete with a selection of distinctive fountain displays and the Cascade 700 to 4000 with a bell jet. All pumps up to the 4000 also have a telescopic fountain stem.

Waterfalls

The Cascade 700 will give a good small waterfall and the 4000 will give a torrent. Cascades from 1500 up come with a T-piece that enables them to be used for two purposes at the same time.

Water Features

All models can run water features with the attachment of appropriate pipe.

Filtration

Water can be pumped to a filter and directly back to the pond, or down a waterfall. Filtration will be more effective if an Aquaforce solids handling pump is used.

Cascade features

- High efficiency motor for low running costs and long life.
- Flow controls to adjust size of fountain and waterfall independently.
- Ball joint for fountain stem angle adjustment.
- Anti-clog foam free inlet cage reduces maintenance.
- Special outlet for waterfall or feature with quick connect hose coupling.
- Telescopic fountain pipe.









Product

Maximum Head

Flow @ 1m

Pack Quantity Info

Barcode





010646 035699

Solar Powered Pumps

Harness the power of the sun to create a relaxing water feature

No electrical set up or running costs - simply install in the pond or water feature of your choice then sit back and relax.

Code SAP Code	24-3538 100-004-643
Product	Solar Cascade Solar powered fountain and water feature pump Maximum fountain height 1.10m Maximum flow 200 litres per hour Includes battery back up to store surplus power to run in the evening or on cloudy days Separate solar panel on spike
Pack Quantity	3
Info	
Barcode	5 010646 055291 >

Air Pumps



Air Pumps

Adding oxygen into a fishpond is very important for fish health, particularly in densely stocked ponds and in the summer months when oxygen levels decline.

The smallest model in the range delivers 320 litres per hour with a maximum operating depth of 1.2m and the largest model delivers 4500 litres per hour with an operating depth of 3m.

24-3537 100-004-642

Solar Air Pump

- Solar powered air pump
- Adds oxygen to pond to improve fish health and water clarity
- Separate solar panel on spike
- Includes 2 air stones and tubing

Pack Quantity

Barcode





















Code
SAP Code
Product
Maximum Output
Maximum Recommended Depth of Air Stone
Output at 1m Depth
Maximum Pressure
Number of Air Outlets
Length of Air Tube
Diameter of Air Tube
Number of Air Stones
Size of Air Stone

Pump Rating

Cable Length


Pack Quantity Infoe Barcode

24-1800 100-004-532	
100-004-532	
Air Pump 320	
320LPH (70GPH)	
1.2m (3' 11")	
230грн (50дрн)	
0.014MPa	
2	
1 x 10m (1 x 33')	
ø 4mm	
2	
ø 3cm x 3cm	
4w	
3m (10')	
5	
-	

24-1805
100-004-534
Air Pump 640
640грн (140дрн)
1.2m (3' 11")
450грн (99дрн)
0.014ΜΡα
4
1 x 10m (1 x 33')
ø 4mm
4
ø 3cm x 3cm
8w
3m (10')
5
Not in stock


	24-1810
4	100-004-536
	Air Pump 1500
н)	1500грн (330дрн)
	2.0m (6' 7")
)	900грн (198дрн)
	0.026ΜΡα
	6
')	2 x 10m (1 x 33')
	ø 4mm
	2
	ø 5cm x 5cm
	17w
	10m (33')
	3
	-











24-1753

Pond Vac Basket (
Use in conjunction with Pond Vac to recycle water filtered from the pond
Removes large waste particles and leaves
Fold flat for compact storage

A compact and

lightweight pond
vacuum for quickly
cleaning and removing
waste from ponds with
minimum effort

3 YEAR GUARANTEE



Saves up to 30% in cleaning time

Unlike most other Pond Vacs, this product runs continuously and does not have to stop every minute for the collection chamber to be emptied.

Up to 50% greater suction

The highly efficient design delivers greater suction than other products available. The combination of high suction and low power consumption makes the Pond Vac up to 7 times more efficient and minimises running costs.

Supplied with a choice of three brightly coloured nozzles for clear in-pond visibility, the Pond Vac is capable of removing particles from all areas of the pond. Cutter blades are built into the head assembly so that any large debris such as leaves passing through can be chopped up to avoid blockage.

Pond Vac features

- Extendable up to 2.0m (4 x 0.4m sections) for long reach.
- Three suction nozzles: 'wide' for large areas, 'narrow' for small corners & 'open' for large waste. Nozzle storage point provided.
- Chopping blades allow removal of large waste matter.
- Transparent section for viewing waste disposal.
- Adjustable handle position for comfortable use.

	•
Code	24-1752
SAP Code	100-004-519
Product	Pond Vac
Pump Rating	60w - 230v
Suction Power	-53 mBar
Maximum Flow	2,200грн (485дрн)
Cable Length	10m (33')
Product Length	2.3m (7'7")
Waste Hose Length	3m ø25mm (10' ø1")
Pack Quantity	2
Info	
Barcode	5 010646 048590 >







Tidy Up Accessories

Pond Grabber



Ideal for removing litter and unwanted debris from pond surface.

Simple trigger operation with robust shaft.

	`	
ode	24-1754	
AP Code	100-000-415	
roduct	Pond Grabber	
landle Length	90cm	1
ack Quantity	6	
nfo		
arcode		

Blanket Weed Brush



Telescopic brush for removing blanket weed from your pond.

Durable nylon head for collecting blanket weed.

Code	24-1755
	100-000-416
Product	Blanket Weed Brush
Handle Length	60cm ↔ 180cm
Pack Quantity	5
Info	-



Pond Glove



Ideal for handling pond equipment or maintaining aquatic plants.

Durable PVC with extended arm guard and elasticated sleeve to protect clothes.

	24-1756
	100-000-417
	Pond Glove
′	5
	Not in stock
	5 010646 055260 >

Nets

Pond Nets

The larger nets in this range come with telescopic poles and comfortable soft grip handles.

Merchandising stand available to aid customer self selection.



Code	24-1732
SAP Code	100-000-404
Product	Small Pond Net
Diameter Head	25cm

The state of the s
Small Pond Net
25cm
125cm
Fine mesh
15
-



Medium Pond Net
30cm
100cm ↔ 150cm
Wide mesh
5
-





Large Pond Net
39cm
100cm ↔ 180cm
Wide mesh
5
-





Skimmer Net
40cm
100cm ↔ 180cm
Fine mesh
5
-



Pond Cover Nets

Handle Length Mesh Pack Quantity Info Barcode

These pre-packed pond leaf nets are designed to cover the pond and prevent contamination by keeping leaves and debris from collecting on the surface.

Includes security pegs for simple installation and helps protect ponds and their stock from predators.








Pond Cover Net
2m x 3m (6' 7" x 9' 10")
10
Not in stock
5 010646 053600 >




24-1/31
100-000-403
Pond Cover Net
3m x 4m (9'10" x 13' 2")
10
-











Water Treatments

Hozelock Cyprio pond treatments complement our pumps, filters and UVCs to help keep ponds healthy and crystal clear. All products are harmless to pond wildlife.

Code	24-3485	
SAP Code	100-001-563	The same of the sa
Product	Water Feature Treatment	Wallis Facilities
Size	250ml	
Pack Quantity	6	
Info	Not in stock	
Barcode	5 010646 0	29117 >









Pond Accessories

Fish Feeder

- A Set the current time
- B Set feed frequency up to 6 times per day
- C Set feed quantity up to 800ml of food
- Insert 2 x AA batteries not included
- Assemble the stand or attach the bracket to a wall

Product

Fish Feeder

- 800ml food capacity
- Stand included
- Up to six feeds a day

Not in stock















Pond Hose

Made from high quality plastics this spiral hose is extremely flexible with a bend radius only 3 times its diameter without kinking or splitting.



Code	24-1701
SAP Code	100-000-373
Product	Cypriflex Hose
Hose Length	50m (164')
Hose Diameter	ø 20mm (¾")
Pack Quantity	1 x 50m
Info	Not in stock
Barcode	5 010646 030304 >

24-1702
100-000-374
Cypriflex Hose
30m (98' 5")
ø 25mm (1")
1 x 30m
-

24-1703
100-000-375
Cypriflex Hose
30m (98' 5")
ø 32mm (1¼")
1 x 30m

24-1704
100-000-376
Cypriflex Hose
25m (82')
ø 40mm (1½")
1 x 25m
-
ø 40mm (1½")









Pond Accessories



Flow Control Valve

Control the flow of water to pond filtration systems, waterfalls and water features. Stepped hosetails allows connection of 25 - 40mm hose and flow can be

restricted using the easy to turn



Code
Product

Pack Quantity Info Barcode

Flow Control Valve ø 25mm (1"), 32mm (11/4") & 40mm (1½")



Hose Tap Flow Controllers

24-3994

Hose tap flow controllers fit between two hoses, controlling the water flow. This enables two pieces of equipment (eq a pump and filter) with different flow rates to be compatible.

Available in 3 sizes.





Hose Tap Flow Control

• ø 20mm (¾")

25

Not in stock





24-3996

Hose Tap Flow Control

• ø 25mm (1")



Product
Pack Quantity
Info







Stepped Hosetails

Stepped hosetails are used to reduce the internal size of the hose. Fits various hose types, simply cut off the size not required for maximum flow to enable a slightly smaller pipe to fit the connection.

Available in 3 sizes.

Code	24-
SAP Code	100
Product	Ste • ø 12 & 32
Pack Quantity	25
Info	Not

1427

Barcode



Stepped Hosetail 11/2"

• ø 20mm (½"), 25mm (1"), 32mm (1½") & 40mm (1½")

25

Not in stock



24-1435

Stepped Hosetail ¾"

• Ø 12mm (½"), 15mm (½"), 20mm (½") & 25mm (1")

25 Not in stock



Universal Tee Pieces

Universal tee adaptors are designed to fit different hose widths.

Available in 2 sizes.

Code	24-1728
SAP Code	100-000-400
Product	Small Universal Tee • ø 12mm (½"), 15mm (½"), 20mm (½") & 25mm (1")
Pack Quantity	25
Info	Not in stock
Barcode	5 010646 031820 >

24-1729

Large Universal Tee

• ø 20mm (¾"), 25mm (1"), 32mm (1¼") & 40mm (1½")



Pond Accessories



Hose Tee Pieces

Hozelock Hose Tee Pieces, are designed to fit different hose sizes and allow three hoses to be connected at a junction point.

Available in 4 sizes.



Code	24-3991
	100-001-595
Product	Hose Tee Piece • ø 12mm (½")
Pack Quantity	50
Info	-
Barcode	5 010646 011921 >



24-3992	
100-001-596	
Hose Tee Piece ø 20mm (¾")	
25	
Not in stock	







Hose Tee Piece • ø 32mm (1¼")	
25	
Not in stock	



Union Hose Connectors

Pack Quantity Info

The Hozelock Union Hose Connectors allow two hoses to be connected together easily and securely. Available in 5 sizes.



200		







100-001-603
Union Hose Connector ø 20mm (¾")
25
Not in stock





	27 3333
	100-001-604
•	Union Hose Connector ø 25mm (1")
	25
	-





Union Hose Connector ø 32mm (1¼") Not in stock





	24-1719
	100-000-398
r	Union Hose Connector • Ø 40mm (1½")
	25
>	5 010646 031691 >



Reducing Hose Connector

A range of barbed, plastic hose reducers for reducing hose or pipe.

Available in 4 sizes.









Code	24-1667
SAP Code	100-000-356
Product	Reducing Hose Connector • ø 20mm (¾") x 12mm (¾")
Pack Quantity	25
Info	Not in stock
Barcode	5 010646 031950 >







Reducing Hose Connector • ø 25mm (1") x 20mm (¾") 25 Not in stock





Reducing Hose Connector • ø 32mm (1½") x 25mm (1")

Not in stock
5 010646 031929 >

Hose Clips

Product

Pack Qua

Barcode

The zinc plated hose clips come with a foam strip to ensure maximum grip to the exterior of Cypriflex hose. They have a wing tightener for easy tool free adjustment.



9
710

	24-1710
	100-000-378
	Winged Hose Clip Zinc • Ø 12mm (½")
ntity	6
	Available but not in stock
	5 010646 031752 >



Winged Hose Clip Zinc • ø 20mm (¾") Available but not in stock





24-17 12
100-000-394
Winged Hose Clip Zine • Ø 25mm (1")
6
-



24-1713
100-000-395
Winged Hose Clip Zinc ø 32mm (1½")
6
-





24-1714
100-000-396
Winged Hose Clip Zinc • 40mm (1½")
6
-





https://www.hozelock.com/support/catalogues/

As part of our commitment to continuous product improvement we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in this catalogue.
Please note that not all products are available

in all markets.

For spare & accessory information please visit, https://spares.hozelock.com/



Hozelock AB Box. 1119 436 23 Askim SWEDEN

Sverige: 031-28 97 20 www.hozelock.se

Danmark: 64 72 36 07 www.hozelock.dk

Suomi: 09-2707 8392 www.hozelock.fi

900-100-145

