

Scandinavian - 2021 🗕 🗕



Raised Pond

02-03 Aquarium

Pond System

04-05	In-Pond Filters • EasyClear
06-07	In-Ground Filters Bioforce Revolution Bioforce Revolution Filter Kits
08-09	Above-Ground Filters • Ecocel • Ecopower+
08-09	Ultra Violet Clarifiers • Vorton
10-11	Filter & Waterfall Pumps • Aquaforce
12-13	Fountain & Waterfall Pumps • Cascade
12 -13	Solar Powered Pumps
14-15	Air Pumps

Pond Care

14-15	Pond Vac
16-17	Tidy Up Accessories • Pond Grabber • Blanket Weed Brush • Pond Glove
16- 17	Pond Nets
16- 17	Pond Cover Nets
16 -17	Water Treatments

		A	2		C	2	\frown	
	ч		 -	-	- 1		U	

18 -19	Fish Feeder
18 -19	Pond Liner
18 -19	Pond Hose
20-23	Pond Hose Connectors



Aquarium

Decorative outdoor water feature Single person assembly, 'Twist & Lock' system eliminates the need for tools Side viewing ports to view fish Use with EasyClear or Cascade pumps













Aquarium

The appeal for water features as a place to relax and unwind in the modern garden remains very strong. But often the space and time required to build and establish traditional ponds is not compatible with consumers who have smaller gardens and demand more convenient solutions for every aspect of their life.

Now anyone can fulfil their aspirations of having an attractive water feature with the new outdoor decorative aquarium. Installation is convenient and easy to complete in around 30 minutes with no digging, tools or construction expertise required.

The result is an above-ground water feature complete with a modern decorative finish and side viewing windows that allow you to observe fish from a natural perspective in an ideal environment for successful fish keeping.

This is a great way to experience the pleasures of a pond, perhaps for the first time or as an experienced former owner but without the traditional drawbacks of a prolonged and difficult installation process.



Aquarium

Pond Capacity

Recomended Pump - with fisl Pack Quantity

500ltr (110gals) 0.95m x 0.95m x 0.7m (3' 1" x 3' 1" x 2' 4")

3354 Cascade 1500 3344 Cascade 4000

1760 EasyClear 3000

HOZELOCK

CYPRIO





In Pond Filters



EasyClear

The award winning fully integrated filtration system

The EasyClear range comprises five units for ponds up to 3000, 4500, 6000, 7500 and 9000 litres

> These fully integrated units combine a pump, filter and UVC and can be completely hidden in the pond.

They provide the consumer with a product that will provide clear and healthy water, easy installation, and an attractive fountain and/or waterfall



EasyClear Benefits:

Clear water

- The UVC eliminates green water.
- Filter foam sieves out solid particles in the water.

Healthy Water

- Kaldnes[™] biomedia ensures that the water is healthy for fish and plants.
- The Kaldnes™ biomedia is now stored under the foams in gauze bags for quick and easy cleaning.

Fountain & Waterfall

- Reliable and attractive fountain and waterfall display. (EasyClear 6000, 7500 & 9000 can run a fountain and waterfall simultaneously. EasyClear 3000/4500 can run a fountain or waterfall).
- 3 fountainhead options for consumer display choice (2 tier, 3 tier and bell).

Easy Installation

- One power cable for simple and cost effective installation.
- Ball joint for easy levelling of the fountainhead.
- Feet for stability.
- Fountain stem extension for varying pond depths.
- Independent flow control to adjust the size of the fountain.
- Independent flow control to adjust the size of the waterfall.

Easy Maintenance

- Latch for tool free access for cleaning foams and Kaldnes™ biomedia.
- Anti-clog fountain strainer for low maintenance.
- Bayonet fitting for easy access to the UVC for cleaning and changing.
- Water bypass allows continued UVC and fountain operation if foam is blocked.



	3,000LTR 2,000LTR	4,500LTR 3,000LTR	6,000LTF 4,000LTF
le duct	24-1760 EasyClear 3000	24-1762 EasyClear 4500	24-1764 EasyClea
ximum	3,000LTR (660GALS)	4,500LTR (990GALS)	6,000LTR
id Size	S,UUULIR (OOUGALS)	4,500LTR (990GALS)	0,000LTR
ximum w	1,260lpн (277gpн)	1,260lpн (277gpн)	1,700lph
al Fish gth	72cm (2'4")	108cm (3' 6")	144cm (4
ntain or terfall	✓	1	-
ntain & terfall	-	·	1
ximum Intain Height	0.70m (2' 3")	0.70m (2' 3")	1.60m (5'
Jet meter	0.40m (1' 4")	0.40m (1' 4")	0.60m (2')
terfall ght	0.50m (1' 8")	0.50m (1' 8")	0.60m (2')
terfall Ith	0.08m (3")	0.08m (0' 3")	0.13m (5")
C Bulb	5w	7w	9w
tts	25w - 230v	28w* - 230v	40w - 230
le Length	10m (33')	10m (33')	10m (33')
k Quantity	2	2	2
þ		Available but not in stock	-
code			



Pond System

In Ground Filters



Bioforce[®] Revolution

A Pressurised Pond Filter that makes pond maintenance quick and easy, no more dirty hands, simply wind the handle to clean

> For ponds up to 28,000 litres (6,160 gallons)





Bioforce Revolution

The Bioforce Revolution range features a patented, easy clean system and is combined with a 3 step filter process:

UVC

• Enhanced wattage UVC Bulb to eliminate green water. Contained in a quick access chamber for trouble free replacement with viewing window that glows when operating and integrated turbulator.

Biological Filtration

• Large surface area Kaldnes™ K3 biological media, accommodates beneficial bacteria in a bug bungalow, to maintain clear and healthy water.

Mechanical Filtration

- A new approach using foam cubes, provides increased surface area for bacteria growth and facilitates easy cleaning mechanism.
- Unique winding handle activates paddles inside the chamber and agitates the foam cubes and loosens accumulated green sludge.
- Diverter valve is switched to direct unwanted dirty water to surrounding garden areas outside the pond.

Flexible and un-obtrusive

Bioforce Revolution is pre-assembled for easy installation with a new pond or an existing filtration system.

The unit can be hidden at the side of a pond or buried in the ground up to the level of hose inlets.

The pressurised filter allows the water to be pumped to a higher exit point to create relaxing waterfalls.



Bioforce Revolution Filter Kits

The complete filtration system for clear and healthy ponds

Combining the convenience of a Bioforce pressurised filter with a powerful and efficient, solids handling Aquaforce pump creates a complete filtration system backed by the Hozelock Cyprio Clearwater Guarantee.









PUMP

28,000LTI

14,000LTR

24-1354

28,000ltr (6,160gals)

8,000ltr (1,760gals)

25 - 40mm (1" - 1½")

PUMP

FILTER

UVC

782cm (25' 8")

36w

1

Bioforce Revolution 28000 UVC

FILTER

UVC



Above Ground Filters





Ecofilters

For ponds up to 20,000 litres (4,400 gallons)

Ecocel

These above ground filters combine mechanical and biological filtration to keep ponds clear and healthy. When combined with a Vorton UVC, green water algae will be eliminated.

Ecopower+

These high performance above ground filters combine mechanical and biological filtration and an intergrated high wattage UVC. These filters come with a Clearwater Guarantee.



	5,000LTR 2,500LTR	10,000LTR 5,000LT
Code	24-3921	24-3922
Product	Ecocel 5000	Ecocel 10000
Maximum Pond Size	5,000ltr (1,100gals)	10,000ltr (2,200gai
Recommended Pump Size	1,250lph (275gph)	2,500ltr (550gals)
Total Fish Length	79cm (2'6")	157cm (5' 2")
UVC Bulb	Vorton 11	Vorton 24
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	1	1
Info	Available but not in stock	Available but not in st
Barcode	5 010646 036856	5 01064

	8,000LTR 4,000LTR	12,000LTR 6,000LTR	
Code	24-1862	24-1864	
Product	Ecopower+ 8000 UVC*	Ecopower+ 12000 UV	
Maximum Pond Size	8,000ltr (1,760gals)	12,000ltr (2,640gals)	
Recommended Pump Size	2,000lph (440gph)	3,000ltr (660gals)	
Maximum Fish	170cm (5' 6")	254cm (8'4")	
UVC Bulb	8w	12w	
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	
Pack Quantity	1	1	
Info	-		
Barcode	5 010646 056533 >	5 010646	
*Provisional rating in	nformation		

Ultra Violet Clarifiers



Vorton

High efficiency Ultra Violet Clarifier (UVC) eliminates green water

The Vorton range offers the optimum UVC power for the recommended pond size. Higher powered UVC bulbs help maximise the elimination of algae.

All Vortons in the range come with 5 metres of cable, are easy to install and maintain and come with 2 years warranty and a Clearwater Guarantee.





HOZELOCK

CYPRIO

Code	24-1559	24-1554
Product	Vorton 11	Vorton 18
UVC Bulb	11w	18w
Maximum Pond Size With Fish	4,000ltr (880gals)	6,000ltr (1,320gals)
Recommended Flow Rate	2,000lph (440gph)	3,000lph (660gph)
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	1	1
Info	Available but not in stock	Available but not in stock
Barcode	5 010646 055451 >	5 010646 053693

Filter and Waterfall Pumps



Aquaforce

Solids Handling Pumps for filtration, waterfalls and watercourses





Aquaforce

Performance

The Hozelock range of Aquaforce pumps is powerful and power efficient but also flexible for different consumer needs.

The Aquaforce range has improved flow rates to ensure water clarity and waterfall power are optimised. The range also has improved wattages, which means consumers will be delighted with the reduced running costs.

The motors feature a water-cooling system, which ensures that the pumps are kept at a constant temperature and reduce the risk of overheating. Ceramic bearings along with thrust washers ensure the motors are ultra reliable.

Extensive testing has been carried out to ensure the reliability of the pumps and a 5-year guarantee is offered for all models.

The Aquaforces have a considerably increased cage surface area, which allows the maximum amount of waste to be collected and pumped to the filter system. It also means that the cage is far less likely to clog, which will save the consumer from constant cleaning.

Features

All Aquaforces come with a wildlife protection insert that allows the consumer to reduce the inlet solids diameter from 6mm/10mm (dependant on model) to 2mm. This prevents wildlife such as tadpoles, newts and small fish getting into the cage.

The larger Aquaforces (6000, 8000, 12000 & 15000) are all able to operate amphibiously.

These larger models feature a second inlet, which allows the consumer to operate an optional skimmer or satellite filter. Additionally the included flow control also allows the consumer to adjust the flow of water to their waterfall or filter. It also allows the consumer to control the amount of water being drawn from the second inlet.

Easy Installation and Maintenance

Sturdy carry handle helps with installation and maintenance.

The cage clips allow the consumer easy, tool free access to the pump for maintenance.


As with all Hozelock Cyprio products the new Aquaforce pumps have a full spares support package.





Code	24-1580	24-1581
Product	Aquaforce 1000	Aquaforce 2500
Maximum Flow	1,000lph (220gph)	2,500lph (550gph)
Maximum Head	1.50m (4' 11")	2.10m (6' 11")
Flow @ 1m	700ltr (155gals)	1,850ltr (410gals)
Solids Handling Range	2 - 6mm	2 - 6mm
Waterfall Width @ 0.6m	0.06m (2")	0.19m (7")
Waterfall Width @ 1.0m	0.05m (2")	0.16m (6")
Watts	25w	30w
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	2	2
Info	Available but not in stock	-
Barcode	5 010646 052108 >	5 010646 ⁰ 052115 [™] >







Year guarantee + additional 2 years if you register online with Hozelock. Excluding rotar assembly. Terms



24-1582

2.50m (8'2")

0.36m (1' 2")

0.25m (1')

50w

2 - 6mm

Aquaforce 4000

4,000lph (880gph)

3,000ltr (660gals)

25 - 40mm (1" - 1½")

24-1583
Aquaforce 6000
6,000lph (1,320gph)
3.50m (11'6")
5,550ltr (1,220gals)
2 - 10mm
0.49m (1' 7")
0.42m (1' 5")
65w
25 - 40mm (1" - 1½")
2

PUMP

FILTER

UVC





Aquaforce 15000
15,000lph (3,000gph
5.70m (18'8")
13,100ltr (2,880gal
2 - 10mm
1.20m (3' 11")
1.10m (3' 7")
180w
25 - 40mm (1" - 1½")


24-1586



www.hozelock.com/guarantee

Fountain and Waterfall Pumps







Use a Cascade for:

Fountains

They all come complete with a selection of distinctive fountain displays and the Cascade 700 to 4000 with a bell jet. All pumps up to the 4000 also have a telescopic fountain stem.

Waterfalls

The Cascade 700 will give a good small waterfall and the 4000 will give a torrent. Cascades from 1500 up come with a T-piece that enables them to be used for two purposes at the same time.

Water Features

All models can run water features with the attachment of appropriate pipe.

Filtration

Water can be pumped to a filter and directly back to the pond, or down a waterfall. Filtration will be more effective if an Aquaforce solids handling pump is used.

Cascade features

- High efficiency motor for low running costs and long life.
- Flow controls to adjust size of fountain and waterfall independently.
- Ball joint for fountain stem angle adjustment.
- Anti-clog foam free inlet cage reduces maintenance.
- Special outlet for waterfall or feature with quick connect hose coupling.
- Telescopic fountain pipe.



Code	24-3303	24-3052
Product	Cascade 450 - 230v	Cascade 700Lv
Maximum Flow	450lph (99gph)	700lph (154gph)
Maximum Head	1.00m (3'3")	1.20m (3'11")
Flow @ 1m	· .	1201рн (26дрн)
Maximum Fountain Height	0.63m (2' 1")	0.75m (2' 5")
Fountain Height with Waterfall	· 6.	
Maximum Waterfall Width	-	· ·
Waterfall Width with Fountain	· .	
Pack Quantity	5	5
Info		-
Barcode	5 010646 031295 >	5 010646






Solar Powered Pumps

Harness the power of the sun to create a relaxing water feature

No electrical set up or running costs - simply install in the pond or water feature of your choice then sit back and relax.



• Solar powered fountain and water feature pump • Maximum fountain height 1.10m • Maximum flow 300 litres per hour • Includes battery back up to store surplus power to run in the evening or on cloudy days • Separate solar panel on spike



Pond System

Air Pumps



24-1800

Air Pump 320

320lph (70gph)

1.2m (3'11")

230lph (50gph)

1 x 10m (1 x 33')

0.014MPa

2

2

4w

ø 4mm

ø 3cm x 3cm

3m (10')

Product

Maximum Output

Maximum Recommende Depth of Air Stone

Output at 1m Depth

Maximum Pressure

Number of Air Outlets

Length of Air Tube

Diameter of Air Tube

Number of Air Stones

Size of Air Stone


Pump Rating

Cable Length

Pack Quantity

Air Pumps

Adding oxygen into a fishpond is very important for fish health, particularly in densely stocked ponds and in the summer months when oxygen levels decline.









Pond Vac

A compact and lightweight pond vacuum for quickly cleaning and removing waste from ponds with minimum effort



	24-1753	
	Pond Vac Basket • Use in conjunction with Pond Vac to recycle water filtered from the pond	
GPH)	Removes large waste particles and leaves Fold flat for compact storage	0



a contraction of the second se			
24-1810	24-1820	24-1380	
Air Pump 1500	Air Pump 2700	Air Pump 4500	
500lph (330gph)	2700lph (594gph)	4500lph (990gph)	_
m (6'7")	2.0m (6'7")	3.0m (9' 11")	
Olph (198gph)	2,100lph (462gph)	2,700lph (594gph)	_
26MPa	0.030MPa	0.039MPa	Code
	12	12	Product
l0m (1 x 33')	2 x 10m (1 x 33')	2 x 10m (1 x 33')	Pump Rating
m	ø 4mm	ø 4mm	Suction Power
	2	2	Maximum Flow
m x 5cm	ø 5cm x 10cm	ø 5cm x 10cm	Cable Length
	35w	35w	Product Length
(33')	10m (33')	10m (33')	Waste Hose Length
	2	2	Pack Quantity

5 010646 043397

Available but not in stock

5

010646 053730

24-1805

Air Pump 640

640lph (140gph)

1.2m (3'11")

0.014MPa

4

4

8w

ø 4mm

ø 3cm x 3cm

3m (10')

450lph (99gph)

1 x 10m (1 x 33')



3 5 010646 053747 >

Available but not in stock 010646"046169

Saves up to 30% in cleaning time

Unlike most other Pond Vacs, this product runs continuously and does not have to stop every minute for the collection chamber to be emptied.

Up to 50% greater suction

The highly efficient design delivers greater suction than other products available. The combination of high suction and low power consumption makes the Pond Vac up to 7 times more efficient and minimises running costs.

Supplied with a choice of three brightly coloured nozzles for clear in-pond visibility, the Pond Vac is capable of removing particles from all areas of the pond. Cutter blades are built into the head assembly so that any large debris such as leaves passing through can be chopped up to avoid blockage.

Pond Vac features

- A Extendable up to 2.0m (4 x 0.4m sections) for long reach.
- B Three suction nozzles: 'wide' for large areas, 'narrow' for small corners & 'open' for large waste. Nozzle storage point provided.
- C Chopping blades allow removal of large waste matter.
- Transparent section for viewing waste disposal.
- F Adjustable handle position for comfortable use.





HOZELOCK


CYPRIO



Tidy Up Accessories

Pond Grabber







Blanket Weed Brush



Telescopic brush for removing blanket weed from your pond. Durable nylon head for collecting blanket weed.

Handle Length

Pack Quantity

Info

Barcode

24-1755

Product **Blanket Weed Brush** 60cm ↔ 180cm Handle Length Pack Quantity 5 Info Barcode

Pond Glove



equipment aquatic pla Durable PV(C with extended and elasticated sleeve
Code	24-1756
Product	Pond Glove
Pack Quantity	5
Info	
Barcode	5 010646 055260

Nets

Pond Nets

The larger nets in this range come with telescopic poles and comfortable soft grip handles. Merchandising stand available to aid customer self selection.



24-1732 Small Pond Net 25cm Diameter Head 125cm Handle Length Fine mesh Pack Quantity 15 Info Barcode

Medium Pond Net 30cm 100cm ↔ 150cm Wide mesh 5

Pond Cover Nets

These pre-packed pond leaf nets are designed to cover the pond and prevent contamination by keeping leaves and debris from collecting on the surface. Includes security pegs for simple installation and helps protect ponds and their stock from predators.



Info Barcod



10



Water Treatments

Hozelock Cyprio pond treatments complement our pumps, filters and UVCs to help keep ponds healthy and crystal clear.

All products are harmless to pond wildlife.

Info

Barcode





HOZELOCK

CYPRIO

Pond Accessories



Pond Liner



This range of pre-packed liners aids compact merchandising and customer self-selection in your store. These liners come with a 15 year guarantee and full installation instructions.

They range from 2.5m x 2m up to 5.5m x 4m.


Code	24-3460	24-3462
Product	Garden Pond Liner	Garden Pond Liner
Size	2.5m x 2m (8' 2" x 6' 7")	4m x 3.0m (13' 2" x 9' 10")
Pack Quantity	1	1
Info	-	•
Barcode	5 010646 018326 >	5 010646 018340 >

Pond Hose



Made from high quality plastics this spiral hose is extremely flexible with a bend radius only 3 times its diameter without kinking or splitting.

ode	24-1701	24-1702
roduct	Cypriflex Hose	Cypriflex Hose
ose Length	50m (164')	30m (98' 5")
ose Diameter	ø 20mm (¾")	ø 25mm (1")
ack Quantity	1 x 50m	1 x 30m
nfo	Available but not in stock	-
arcode	5 010646 030304 >	5 010646 030267







Cypriflex Hose 30m (98' 5") ø 32mm (1¼")

1 x 30m

24-1704 Cypriflex Hose 25m (82') Ø 40mm (1½'') 1 x 25m

HOZELOCK

CYPRIO







Pond Accessories



Flow Control Valve

Control the flow of water to pond filtration systems, waterfalls and water features. Stepped hosetails allows connection of 25 - 40mm hose and flow can be restricted using the easy to turn







Info





Code	24-1427	24-1434
Product	Stepped Hosetail 1¼" • ø 12mm (¾"), 20mm (¾"), 25mm (1") & 32mm (1¾")	Stepped Hosetail 17 • Ø 20mm (¼"), 25mm (1"), & 40mm (1½")
Pack Quantity	25	25
Info	Available but not in stock	Available but not in sto
Barcode	5 010646 031066	5 010646

Universo	al Tee Pieces
	ee adaptors are designed ent hose widths. a 2 sizes.
Code	24-1728
Product	Small Universal Tee • ø 12mm (½"), 15mm (½"), 20mm (½") & 25mm (1")
Pack Quantity	25
Info	Available but not in stock
Barcode	5 010646 031820 >

HOZELOCK CYPRIO

Pond Accessories



Hose Tee Pieces

Info

Hozelock Hose Tee Pieces, are designed to fit different hose sizes and allow three hoses to be connected at a junction point.











Hose Tee Piece Hose Tee Piece • ø 25mm (1") • ø 32mm (1¼") 25 25 Available but not in stock





CYPRIO

Code	24-1667	24-1668
Product	Reducing Hose Connector • Ø 20mm (¾") x 12mm (½")	educing Hose Connector • Ø 25mm (1") x 12mm (½")
Pack Quantity	25	10
Info	Available but not in stock	Available but not in stock
Barcode	5 010646 031950 >	5 010646 031943 >





http://www.hozelock.com/catalogues/

As part of our commitment to continuous product improvement we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in this catalogue.

Please note that not all products are available in all markets.

For spare & accessory information please visit, **www.hozelockservice.com**



Hozelock AB Box. 1119 436 23 Askim SWEDEN

Sverige: 031-28 97 20 www.hozelock.se

Danmark: 64 72 36 07 www.hozelock.dk

Suomi: 09-2707 8392 www.hozelock.fi

AQ21 3920