



5.01

Founded in 1959 in the village of Haddenham, England, our drive has always been to develop technically perfect products as part of a system Our first product was the world's first plastic hose connector – the Hoze-Lock.

Today, we are a global garden equipment manufacturer with our head office in Birmingham (UK).

Over 75% of our watering and spraying products are made in Britain and in France, with the remaining 25% built at our overseas factories in Malaysia, Taiwan, and China.

Committed to European manufacturing, Hozelock is investing in its machinery to increase its capabilities and meet the demand of



consumers as interest in gardening continues to grow At our factory in Birmingham, five new Sumitomo Demag injection moulding machines have been implemented to upgrade old machinery and increase manufacturing capacity. These machines include an impressive 830 tonne machine, moulding larger pieces such as side discs for carts and reels - it can produce over 5500 discs in one day.

The 280 tonne twin shot machine efficiently creates the soft touch casings for our hose end connectors and will produce over 3 million in one year! In addition to being quicker and more reliable, these machines are greener - using less than a third of the energy to power than the equivalent machine they are replacing.



New for 2023

"Saue water

using the 3D control For precise coverage"

Oscillators with full 3D control



Rectangular Oscillating Sprinklers

3D CONTROL

DIRECTION

2

4

6

- Flow Control Fine tune the spray area to make every drop count.
- Stop Water at the Sprinkler Stay dry when moving or adjusting the sprinkler.
- 3 Adjustable Direction Choose how far to water on each side of the sprinkler.
- Class Leading Motor Giving larger coverage without moving the sprinkler.
- S Adjustable Width (AquaSave Pro only) Take control of individual jets and avoid wasted water by changing the width to suit your garden.
- 6 Metal Spray Bar High precision jets give a more defined spray pattern.

New for 2023

The hose nozzle for every garden task

3-in-1 Nozzle Plus

Introducing the 3-in-1 Nozzle Plus with 3 spray patterns that simply clicks and connects to your Hozelock system.

The nozzle has an ergonomic design with soft touch grips that effortlessly moves from one spray pattern to another.

Twist & Go! - Twist the nozzle to your desired spray pattern and go!

This innovative nozzle has 3 spray patterns:

Rose - NEW gentle spray for delicate watering of flowers, plants and seedlings.

Cone - Water large areas and clean your garden space.

Jet - Powerful spray to blast away mud and dirt and breeze through your tougher cleaning jobs.

Perfect for your balcony, terrace or small garden


Superhoze City

The new Superhoze City bags include all a start-up gardener needs for city life with small outdoor spaces such as balconies, terraces and small gardens.

The versatile and durable bag provided has been inspired to help gardeners with a multitude of tasks such as weeding and pruning through to watering and storage solutions.

The Superhoze City bag includes a 7.5m Superhoze and a Rose Spray gun. Pair with a Hozelock indoor tap connector if you don't have an outdoor tap. Go for the Superhoze City Plus bag and upgrade to a 15m Superhoze plus an additional Multi Sprinkler, ideal for city gardens with a small lawn.









The woven, durable, lightweight hose that expands up to 3x its original length

Wonderhoze

Following the success of the revolutionary product



Superhoze, Hozelock is strengthening their brand position in the alternative hose market by launching a new expanding hose product. The new Wonderhoze has been designed to deliver comfort, ease and convenience to your watering needs while remaining strong and durable - it is supplied with a 5 year guarantee for peace of mind. Made from a woven fabric, which is soft and tactile for the user, Wonderhoze is available in

12.5m and 25m lengths, making it ideal for small to medium sized gardens.

The key product feature is the expandability of the hose, as it is able to expand up to 3x its length once full of water. The inclusion of a smooth inner tube ensures a consistent and effective water flow, plus anti-leak connectors, compatible with all Hozelock systems, prevent water waste. As the pressure of water pumping through the hose is constant, Wonderhoze will not kink or twist. Due to the expanding nature of the product and it retracting



when not in use, the hose can be put away with ease when compared to traditional PVC hose products and can be simply stored in a compact way rather than taking up space in your garden.

Hot shower anywhere, naturally and free

Outdoor Shower

Combining nature and technology to produce a refreshing outdoor shower experience. The Outdoor Shower uses the power of the sun to heat 8 litres of water up to 60°C.

The tap mixer allows the shower to heat to your ideal temperature without

and convenient.

the use of any electricity. Ideal for rejuvenating after the pool, hot tub, travelling or even camping. Taking the shower with you is simple and effective with an easy to build design, along with a total weight of only 7KG, moving your solar-powered shower location is easy



Key:

Products with a 2 year guarantee or more

Products that come complete with wall fixings

Products that come in a retail box

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code More information on all our products can be found on www.hozelock.com

HOZELOCK

Hose Storage

Keep your hose tidy, protected and ready to use with a fuss-free storage solution from Hozelock.

Our reels and carts make it a breeze to get water where you need it around the garden.

Use a compact reel to get the most out of small gardens and balconies, or choose the comfort and practicality of automatic rewind and automatic layering for larger gardens.

Auto Reel - the automatic rewind hose reel

Watering your garden and storing your hose is so easy with Auto Reel.

It smoothly unwinds only the amount of hose that you need.

When you are finished, the automatic rewind system effortlessly stores the hose away, with no kinks or tangles.



Use all over your garden The multi direction wall hanger rotates 180° to follow you around the garden or sit neatly against the wall.



Always ready to go The built in hose stop prevents the hose fully retracting so it is easily available every time.

Convenient storage The hanger on the 2401,

2402 and 2403 has storage space for spray guns and accessories to help keep your garden tidy.

Quick to fit or remove

The wall hanger design and



Pro 25-2402

100-000-873

25m Auto Reel

25m

Wall mounted

1

Code

Product

Includes

Info Barcode

Pack Quantity

carrying handle means you can quickly put the Auto Reel on the wall or take it off again.

Safe and secure

Features a child lock for reassurance and a padlock* fixing point for security. dlock not included.

Pro

25-2403

100-000-880

30m Auto Reel

00m 30m

Wall mounted



Pro

25-2401

100-000-866

20m Auto Reel

20m

Wall mounted

1

Pro

25-2595



100-001-056 10m Auto Reel Wall mounted

Product

Includes

Info

Barcode

Pack Quantity







25-2597

1


100-001-154

30m Auto Reel Flowmax Wall mounted

• +35% increased flow rate













Compact Reel Storage - keep your small garden or patio clutter free




2-in-1 Open Reel Storage - use free standing or wall mounted





Open Cart Storage - easy to move around the garden



Open Cart Storage - easy to move around the garden



Hose Storage

F

Hose

Hozelock garden hoses are flexible, strong and easy to use.

Our innovative hose range has the perfect solution for any type of garden to meet all of your watering needs.



Products with a 2 year guarantee or more

Products that come complete with wall fixings

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on **www.hozelock.com**

Wonderhoze - woven expanding hose



The new Superhoze City bags include all a start-up gardener needs for city life with small outdoor spaces such as balconies, terraces and small gardens.







F

Superhoze - the expanding hose

This amazing hose expands up to x3 its original length, with guaranteed leak-free fittings to give you a water tight connection.

Superhoze

Expands up to x3 its original length and quickly shrinks back to its original size after use.


Outdoor Tap Connectors 21mm G½ (½"BSP) -26mm G¾ (¾"BSP)

AquaStop Connectors

Allows you to change your hose end without turning off the tap.

NOZELOCK

Adjustable Nozzle











 Hozelock compatible system 2 Quality leak-free connection

8 Highly elastic core

O Smooth inner to enhance water flow Oven textile outer layer *Phthalate free <0.1%

O/Jin



Advanced hybrid garden hose, combining the best of two hose technologies.

Traditional PVC:

Includes:

- Dura-Tech inner core for incredible flexibility and maximum strength.
- High pressure burst resistance 40+ bar, in conjunction with the outer textile layer.
- Constant, high water flow even at low temperatures.
- Guaranteed length.

Textile:

Info Barcode

- Tuff-Fibre woven technology ensures enhanced durability for long lasting wear.
- Amazingly flexible, effortless to manoeuvre and store.
- Kink free & ultra lightweight.
- UV resistant & easy to clean.

Compared to traditional hoses:


010646 062084





Hose






Hose

 \mathbf{HO}

Ξ

60



N. Wart



Hose

HO7ELOCK

Fittings

Simply click & connect! Hozelock fittings provide quick and easy connections between the tap, garden hose and accessories.

Made from the highest quality materials they are designed to fit a variety of taps providing a secure leak-free connection every time.

Upgrade to a Pro metal fitting for added strength and durability, plus the added benefit of a 3 year guarantee.

HOZELOUN AREA STOP IN A

Key:

Products with a 2 year guarantee or more


Products that come complete with wall fixings

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on **www.hozelock.com**

Outdoor Tap Connectors - for outdoor threaded taps



Fittings


Outdoor and Indoor Tap Connectors - for round or oval taps




Multi-Tap Outlets - create multiple outlets from one tap




Hose Extend and Repair



Fittings



Not all connectors are made equal, see what makes ours the best



2 Connection Grip

Manufactured from Dupont Delrin[®] Acetal with a silicone additive for ease of use. Triple connect point for the strongest possible connection.



3 Outer Sleeve


HOZELOCK

3

Manufactured from ABS for impact resistance and strength with soft touch over-moulding for an enhanced grip.

4 Tough Inner Core

Manufactured from Dupont Delrin® Acetal, one of the most crystalline engineering thermoplastics, to bridge the gap between plastics and metals.



6 Connection Grip

Polypropylene teeth stay resistant to repeated stress and provide a secure hose clamp.

6 Hose Tail (Plus and Pro only)

Manufactured from tough, but flexible Polypropylene for a secure hose connection that prevents kinking.

AquaStop Connectors - switch accessories without wasting water									
			Plus		Plus				
Code	21-2075		21-2055		21-2065				
SAP Code	100-000-556		100-000-531		100-000-544				
Product	AquaStop Connector • Soft touch for comfort		AquaStop Connector Plus Soft touch for comfort Flexible tail prevents kinking 		AquaStop Connector Plus Soft touch for comfort Flexible tail prevents kinking 				
Size	ø 12,5mm & 15mm		ø 12,5mm & 15mm		ø 15mm & 19mm				
Pack Quantity	10		10		10				
Info	-		-		·				
Barcode	5 010646 059473 >		5 010646 051460 >		5 010646 051484				
Code	21-62075		21-62055		21-62065				
SAP Code	100-000-559		100-000-529		100-000-543				
Pack Quantity	25		25		25				
Info	-		-		-				
Barcode	5 010646 059527 >		5 010646 051897 >		5 010646 051910 >				
	Image: Second se	3 Pro		3/	The	A CON			
Code	21-2035	21-2045				A Barrison Contractor			
SAP Code	100-000-477 100-000		-504						
Product	AquaStop Connector Pro Soft touch for comfort Flexible tail prevents kinking Made from zinc alloy for durability 	Soft touch feFlexible tail	Connector Pro for comfort prevents kinking zinc alloy for durability	SA	Se.	Carl			
Size	ø 12,5mm & 15mm	ø 15mm & 1	9mm		A San Carl				
Pack Quantity	10 10			The second	COLUMN STATE				
Info	-	-		State of	College St.				
Barcode	5 010646 052283	5 0106	546"052306" >	21-2075		22			
N. Mar	Land Arriver		1	A ALANA	11	NIL SAL SA			



Hose End

At Hozelock, we specialise in providing you with the ideal hose end device to match your watering and outdoor cleaning needs.

Features such as lockable flow triggers and soft-touch grips make watering comfortable and hassle free.

Key:

Products with a
 2 year guarantee or more
 Pack Quantity - The number of products in an outer carton
 Info - The Scandinavian product code

More information on all our products can be found on www.hozelock.com

Outdoor Shower - hot shower anywhere, naturally and free



3-in-1 Nozzle Plus - for quick cleaning



Nozzle & Gun Spray Patterns



Jet Spray Guns - ideal for cleaning tasks



Multi Spray Guns - perfect for watering your garden



22-2669

Plus

Code

Product

Spray Patterns

Pack Quantity

Info

Barcode

5

-

5

22-2684

Multi Spray Plus

separate flow control

• Lockable variable flow trigger and

Code

Product





22-2679



Multi Spray

• Lockable on/off trigger and thumb operated flow control

5

21-2343



Multi Spray Starter Set • Gun and connectors for ø 12,5mm & 15mm hose

5 Not in stock






100-001-2



Multi Spray Ultramax • Die cast metal body with soft overmoulding

• Lockable on/off trigger and separate flow control







22-2691 100-001

6



Multi Plus

Powder coated die cast metal body

Lockable op/off trigger

Lockable on/off trigger







Multi Spray Pro

Pro

22-2694





Multi-function Hose End - convert your gun into a sprinkler




Round Area Sprinklers - for small or larger round gardens



Rectangular Area Sprinklers - perfect for square or rectangular areas





Automatic Watering

Control your garden watering with Hozelock's range of Automatic Watering products - an effective way to save you time, water and effort.

Combine controllers with components to create a bespoke system that can be easily adapted to any outdoor space.


Key:

 Products with a
 2 year guarantee or more
 Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on **www.hozelock.com**

Automatic Watering



NI.


KIL JAN

ENAL)

Universal System - why Easy Drip?



Easy Drip System - installing Easy Drip is quick and simple



Ready-to-Use Automatic Watering Kits - the simple way to install your system



Code	2 ø4mm 28-2802		2 ø4mm 28-2803		2 04mm 013mm 28-2804		
SAP Code	100-001-396		100-001-400		100-001-402		
Product	 15 Pot Watering Kit Water your pots, hanging baskets, borde veg patches and greenhouse plants Control how you water your garden from minutes up to 2 hours to save time, water effort 2210 Mechanical Timer 7022 Pressure Reducer 2772 Micro Tube (4mm) 2777 T-Piece Connectors (4mm) 2778 Straight Connectors (4mm) 2782 Wall Clips (4mm) 7043 Drippers with Stake (4LPH) 	5	 20 Pot Watering Kit Automatic watering for patio pots, hang baskets, borders, veg patches and greenl plants The Select Controller provides the flexibi adjust watering duration, frequency and time, providing extensive control 2220 Select Controller 7022 Pressure Reducer 2772 Micro Tube (4mm) 2778 Straight Connectors (4mm) 2782 4mm Wall Clips (4mm) 7043 Drippers with Stake (4LPH) 	house ility to	 25 Pot Watering Kit Automatically control how you water you garden, saving you time, water and effst and file select Controller provides extensive and flexibility to adjust watering duratif frequency and start time 2220 Select Controller 7022 Pressure Reducer 2764 Supply Tube (13mm) 2766 Elbow Connectors (13mm) 2767 T-Piece Connector (13mm) 2779 Blanking Plugs (13mm) 2770 Stakes (13mm) 2771 Wall Clips (13mm) 2779 Hole Punch 2772 Micro Tube (4mm) 2773 Straight Connectors (4mm) 2782 Wall Clips (4LPH) 2785 End of Line Drippers (4LPH) 	ort e control	
Includes	$ \begin{array}{c} $		$ \begin{array}{c} $		$15m (013mm) \longrightarrow 10m (04mm)$ $10m (04mm)$ $1x10 + x10$ $1x1 + x10$ $1x11 + x10$ $1x10 + x10$ $1x10 + x10$ $1x10 + x5$ $1x10 + x5$ $1x10 + x5$		
Pack Quantity	5		5		5		
Info	Not in stock		Not in stock		Not in stock		
Barcode	5 010646 061094		5 010646 061100 >		5 010646 061117 >		

Automatic Watering Hose - water your garden without the effort



Dripper Hose

- Dripper hose with drippers integrated every 30cm
- Combine with micro irrigation fittings to efficienty water flowerbeds
- Water flow rate 4 LPH





Porous Soaker Hose

Sprinkler Hose

• Perforated flat hose, produces a fine spray

- Ideal for watering borders, vegetable patches and greenhouses without waste
- Seeps water along the full length of hose 23-6762 23-6764 ode 100-001-922 100-001-927 Product Porous Soaker Hose Porous Soaker Hose Size 🛢 15m 🔳 25m Includes Pack Quantity 5 5 Info Barcode



• Using the fitting supplied, two can be joined together 23-6755 23-6756 Code 100-001-908 100-001-912 Product Sprinkler Hose Sprinkler Hose Size 7.5m 15m Max. Coverage 27m² 54m² Pack Quantity 5 10 Info Barcode 010646 006880



Build Your Own: A Tap Connection - connect the system to your tap







The tap connection is vital. It connects the watering system to the mains water supply.

There are three different ways to make this connection.

Always use a pressure regulator to control the water pressure to ensure the best performance.

All installations below can be automated by adding a Hozelock Water Contoller.

Remote Connection

To connect to an area that does not reach your tap:

Cut a section of hose.


Add Hose Connectors to each end. Connect the hose and Pressure Regulator (7022) together. Attach to a tap with a Threaded Tap Connector.

- Hose Page 12-19, 35, 37 & 41
- Tap Connectors Page 21-22
- Hose Connectors Page 24-25

Direct Connection

To make a direct connection to the watering system, screw the Pressure Regulator (7022) directly onto your outside tap or Automatic Water Controller.

Controllers - Page 39-40







Build Your Own: A Tap Connection - connect the system to your tap





Select Plus Controller

For ultimate control of your automatic watering, the New Select Controller Plus has the flexibility to programme any time, any day and for any duration, the user may schedule watering with a maximum of three programmes per day.

• The large LCD screen displays all the programme information and can be set up and easily adjusted using the 'Rotate and Push button'.

• Further features include a 'Rain delay' to pause watering as per the weather forecast and a 'Water now' function for immediate watering that will override the schedules for a quick soak of the garden.

• Not sure how to progamme your watering? With the Select Controller (2220) you needn't worry, it comes with 16 pre-set programmes to suit you and your garden.

	2	2 Plus		
Code	28-2220	28-2224		
SAP Code	100-000-693	100-000-698		
Product	Select Controller • 16 preset multi programs • Manual Water Now function	Select Plus Controller • LCD screen Timer with unique "Rotate & Push" button • 3 programmes maximum per day • Rain delay to pause the watering for up to 7 days		
Watering Schedule	From once a week to four times a day	Any three schedules a day		
Watering Duration	Up to 60 minutes	Up to 199 minutes		
Water Now Function	\checkmark	✓		
Delay Start	\checkmark	✓		
Batteries Required	2 x AA (LR6) Alkaline	2 x AA (LR6) Alkaline		
Battery Level Check	\checkmark	\checkmark		
Use with a Water Butt	\checkmark			
Inlet Size	ø21mm - G½, ø26.5mm - G¾, ø33.3mm - G1	ø21mm - G½, ø26.5mm - G¾, ø33.3mm - G1		
Pack Quantity	2	2		
Info		·		
Barcode	5 010646 061735 >	5 010646 062435		

Automate your system by adding an Automatic Watering Controller.

Water even when you're away on holiday.

Automatic Watering Controllers are easy to set up and operate.

Simply attach them to your garden tap, set the timer for when you want the water to come on, for how long, and how often, turn on and forget about it!

Co SA Pro


> Wa Wa Inl Paa

de	28-2210
AP Code	100-000-666
oduct	Mechanical Controller • Manually select, timed watering
atering Schedule	Once a day
atering Duration	Up to 120 minutes
let Size	ø21mm - G½, ø26,5mm - G¾, ø33,3mm - G1
ick Quantity	5
fo	· .
ırcode	5 010646 057943

8-2220

5

Build Your Own: A Tap Connection - connect the system to your tap



Control your garden watering from your mobile phone! It doesn't matter if you are on holiday or at work - your plants will no longer need to suffer if weather conditions change.

• Easy to use app to control your garden watering from your mobile (Apple or Android operating system) with Hozelock hub and remote tap unit.

• App allows you to remotely set, pause and adjust watering schedules.

- App includes a local weather summary and push notifications to keep you informed about changes to weather patterns.
- Ideal for when you are away from home and weather

conditions change, to remotely pause and adjust schedules. • Each hub can control up to 4 remote tap units.

		App store Google play
Code	28-2216 mobile app	
SAP Code	100-000-686	
Product	Cloud Controller Kit • Requires smartphone with Apple iOS or Android operating system, ethernet port and internet	T. Andrew
Watering Schedule	Up to ten times a day	
Watering Duration	Up to 180 minutes	T States
Water Now Function	\checkmark	
Batteries Required	2 x AA (LR6) Lithium/Alkaline	
Battery Level Check	\checkmark	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Use with a Water Butt	\checkmark	
Inlet Size	Ø21mm - G½, Ø26.5mm - G¾, Ø33.3mm - G1	
Pack Quantity	1	- ALCO
Info		655
Barcode		

28-2216



Build Your Own: B Pipeline & Components - carries water around your system




Build Your Own: B Pipeline - carries water around your system

Supply Tube

- High quality 13mm central supply hose for transporting water around your garden.
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity
- Can be buried underground for discreet installation

	ø13mm	
Code	28-2764	
SAP Code	100-003-124	
Product	Supply Tube	
Size	25m	
Pack Quantity	5	
Info		
Barcode	5 010646 040181 >	




E




Micro Tube


- 4mm Micro Tube effectively carries water from your tap to individual drippers
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity
- Can be buried underground for discreet installation



Build Your Own: B Pipeline Components - create your network of pipeline



Build Your Own: B Pipeline Components - create your network of pipeline



Automatic Watering

Build Your Own: C Drippers for precise watering





To prevent leaf scorch and plant diseases, the micro drippers deliver the water at the base of the plant.

Drippers are used at the base of plants to provide very precise watering to the roots - perfect for saving water! They are very versatile and can be used in pots on balconies or to water shrubs in your flowerbed. Some of the drippers, with an integrated pressure compensating technology, guarantee the water flow rate even for sloping ground.

Product



In-Line Pressure Compensating Dripper (5 Pack)

- Self-regulating dripper that gives a constant 4 LPH, regardless of water pressure
- Built in filter, automatically self cleans and shuts off when pressure is below 1 bar



End-of-Line Pressure Compensating Dripper (5 Pack)

- Self-regulating dripper that gives a constant 4 LPH, regardless of water pressure
- Built in filter, automatically self cleans and shuts off when pressure is below 1 bar
- ø13mm 28-7040

ø4mm

Pinch Drip[™] Pressure Compensating Dripper (12 Pack)

- Pressure compensating dripper with a turbulent flow path
- Maintains a constant and uniform drip rate of 4 LPH



CETA® In-Line Pressure **Compensating Dripper** Spikes (5 Pack)

- Pressure compensating dripper with a turbulent flow path - delivering a pre set amount of water at different water pressure levels
- Blockages minimised with in-built filter
- Spike model to anchor dripper at the base of the plant

Asta® End-of-Line Pressure Compensating Dripper Spikes (5 Pack)

Pressure compensating dripper with a turbulent flow path

ø4mm

28-7043

- Sealed to maintain preset discharge rates and uniformity
- Blockages minimised with in built filter
- Spike allows easy and precise positioning for accurately targeting the root zone of plants
- In-Line ø13mm In-Line – ø13mm In-Line – ø4mm End-of-Line – ø4mm End-of-Line - ø4mm End-of-Line - ø4mm 1 4 LPH (1,5 bar) 4 LPH (1,5 bar) 0 ≒ 40 LPH (1,5 bar) 4 LPH (1,5 bar) 1 1 1 1 10 6 4 010646 040426 > 5 010646 040433 > 010646 061001 > 5 010646 061018

In-Line – ø4mm Adjustable Flow 4 LPH (1,5 bar) Pressure Compensating

5

Installation

Flow Rate

Pack Quantity

Info

Barcode









Build Your Own: D Sprinklers for larger areas





Build Your Own: D Sprinklers for larger areas

	••••	0	0	•	•
	Ø4mm Ø13mm	Ø4mm Ø13mm	Ø4mm Ø13mm	Ø4mm Ø13mm	ø4mm ø13mm
Code	28-2790-1	28-2791-1	28-2792-1	28-2796-1	28-2797-1
SAP Code	100-001-377	100-001-378	100-001-379	100-001-387	100-001-389
Product	2				
	90° Micro Spray Jets (12 Pack) • Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray	 180° Micro Spray Jets (12 Pack) Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray 	 360° Micro Spray Jets (12 Pack) Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray 	 Strip Micro Spray Jets (12 Pack) Produce a fine jet over a narrow strip Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray 	 360' Mist Micro Spray Jet (12 Pack) Produces a fine mist spray Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray
Installation	In-Line – ø13mm	In-Line – ø13mm	In-Line – ø13mm	In-Line – ø13mm	In-Line – ø13mm
Weberi A	End-of-Line – ø4mm	End-of-Line – ø4mm	End-of-Line – ø4mm	End-of-Line – ø4mm	End-of-Line – ø4mm
Watering Angle Area Coverage	90°	180°	360° 700 cm	2 x 20°	360°
Adjustable Flow	260 cm	460 cm	700 cm	560 cm	90 cm
Flow Rate	68 LPH (1,5 bar)		68 LPH (1,5 bar)	42 LPH (1,5 bar)	22 LPH (1,5 bar)
Pack Quantity	6	6	6	6	6
Info	·			-	-
Barcode	5 010646 060882 >	5 010646 060912 >	5 010646 060851 >	5 010646 060806	5 010646 060783 >
Code	ø4mm ø13mm 28-2793	Ø4mm Ø13mm 28-2794	@4mm @13mm 28-2795	Ø4mm Ø13mm 28-2798-1	ø13mm 28-7005
SAP Code	100-001-382	100-001-384	100-001-386	100-001-391	100-004-658 🜌
Product	O' Adjustable Vari-Jets™ (3 Pack) Produces a fine spray Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray In-Line – ø13mm	Image: Image with the system Image with the system	360° Vari-Jets [™] Adjustable (3 Pack) Produces a fine spray Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray In-Line – ø13mm	360° Vari Rotor Spray™ Adjustable sprinkler (S Pack) Designed to be adjusted to alter flow and coverage °C' Frame design for strength and high distribution uniformity In-Line – ø13mm	Easy Drip Universal Sprinkler (3 Pack) • Safe and smooth piercing of the hose for an easy, water tight installation • Supplied with an innovative ground peg for easy positioning and angle selection from 0 to 90°
Instantion	In-Line – Ø13mm End-of-Line – Ø4mm	In-Line – Ø13mm End-of-Line – Ø4mm	In-Line – Ø13mm End-of-Line – Ø4mm	In-Line – Ø13mm End-of-Line – Ø4mm	In-Line – ø13mm
Watering Angle	90°	180°	360°	360°	360°
Area Coverage	200 cm	200 cm	200 cm	600 cm	100 cm
Adjustable Flow	✓	✓	✓	1	1
Flow Rate	0 ≒ 55 LPH (1,5 bar)	0 ≒ 55 LPH (1,5 bar)	0 ≒ 55 LPH (1,5 bar)	0 ≒ 82 LPH (1,5 bar)	0 ≒ 40 LPH (1,5 bar)
Pack Quantity	10	10	10	4	3
into Barcode			5 010646 040587 >	5 010646 060776 >	5 010646 063128 >

Aquasolo[®] - watering cones





Barcode

HO7EL

OCK

HO/BOGH

28-2717-

100-001-315

Aquasolo Medium

Natural Gardening

Get into green with natural gardening. Today's gardeners are reaching less for chemicals and more for organic and natural solutions to create their green garden.

Gardens can flourish naturally with the help of Hozelock's new Pure range - a collection of gardening equipment that helps consumers to really connect with their gardens and to care for the environment at the same time.

Combining design features that ensure the highest effectiveness and ease of application for natural products, it's a sure recipe for success.

Key:

Products with a 2 year guarantee or more

Pack Quantity - The number of products in an outer carton

Info - The Scandinavian product code

More information on all our products can be found on **www.hozelock.com**

oto credit Chaintreuil

Natural Gardening

Hozelock Pure - spray your homemade natural recipes



 $\mathbf{10}$

BioMix - the eco-friendly solution to take care of your plants



Produce homemade nutrient-rich liquid feed out of plants such as nettles and comfrey.

An efficient way to fertilise your plants and to prevent plant diseases.

The closed tank has a lid and mixing action to ensure that the leaves decompose quickly whilst the pungent smell is contained within the mixer.

Easy to use filter to drain the liquid and integrated tap to recover the fertiliser.

How to use it?

- ① Cut 1kg of plants and place them inside the tank.
- 2 Add 10L water.
- Olose the lid, and stir thoroughly every 2 days.
- 4 After about 10-15 days, when there are no longer bubbles rising to the surface, the maceration is complete.
- 6 Recover the liquid fertiliser in an opaque drum.
- Dilute your plant fertiliser with water. The dilution is indicated in the usage booklet. (between 5% and 20%)

3

Use it with a sprayer or watering can.





(4)

(1)

EasyMix 2-in-1 Composter















Tumbling composter for the easy mixing of home and garden waste.

- 3 times faster than conventional composters: compost ready in just 6 to 8 weeks.
- Roll the drum around your garden to distribute the compost with ease.
- Reservoir collects the compost juice, with integrated "Click & Spray" hose applicator to enrich your garden soil.
- The enclosed lid with lockable lid prevents pests and bad smells.
- Compact design it will easily find a place in the garden, garage or balcony.
- Manufactured with more than 90% recycled plastic and 100% recyclable.

How to use it?

- 1 Put the waste in the composter and lock the lid.
- 2 Turn the drum to mix the waste and accelerate decomposition for quicker composting.
- 3 The compost is ready after only 6 to 8 weeks of resting. Roll the drum around your garden to distribute the compost.
- Collect your compost juice, a rich liquid plant food, using the tank under the composter.
- Enrich your garden soil by connecting the "Click & Spray" tank to your garden hose.
- 6 Rinse the tank after use.



HO7EL

OCK

Electrical Thermal Weeders - weed without chemicals



6. 2.09

Gas Thermal Weeders - weed without chemicals





The most powerful cordless weeder on the market. Safe weeding, 2x faster, 4x more economical.*

- Secure weed control thanks to infrared technology: the flame, safely inside the shield, heats the ceramic plate up to 800 °C which will cause a thermal shock to kill the weed.
- Weed large areas with the large 12 x 20cm ceramic plate.
- This product is 2-in-1: it can be used with a gas cartridge and also with a gas bottle.
- Gaz cartridge: up to 3 hours. Gas cylinder: up to 122 hours.
 *compared to a standard Gas Weeder operating with a gas cartridge

Pro

28-4177 100-004-648

2

- Green Power Turbo Gas Thermal Weeder
- Ergonomic handle with piezo ignition and ON / OFF v alve
- Adapter supplied for connection to a gas cylinder
- Wheel for greater freedom of movement

Pack Quantity Info

Barcode

Code

SAP Cod Product



HOZELOCK

Sprayers

Sprayers are suitable for applying many different garden chemicals, offering an economical solution to treating large areas effectively and comfortably.

In 2022, Hozelock launches it's new range of sprayers compatible with a variety of different treatments to suit every gardener.

Our product features have the user in mind to ensure maximum efficiency including the innovative new Multi Nozzle which offers the user 3 spray nozzles in 1.

Key:

Products with a 2 year guarantee or more Pack Quantity - The number of products in an outer carton

> Info - The Scandinavian product code More information on all our products can be found on www.hozelock.com

101


HOZELOCK

Trigger Sprayers - for small tasks in the home or garden



Sprayers

Pressure Sprayers - easy and accurate application for all uses



Pressure Sprayers - easy and accurate application for all uses




Sprayers

HO7EL

OCK

Electric Sprayer




Syringe Sprayers



Sprayer Accessories - sprayer spares available from www.hozelock.com

Code		1 Wide fan 35-95cm
SAP Code	100-001-764	
Product	Multi Jet Nozzle • A unique, practical and compact nozzle holder with 3 integrated nozzles, for all types of treatment • Wide flat fan nozzle 35-95cm for spraying weeding treatments over large areas • Narrow fan nozzle 20-60cm for spraying DIY applications more precisely • Conical mist nozzle for a good coverage of insecticide or fungicide application on a shrub or bush • Compatible with all 8mm lances and easy to take apart to clean	
Pack Quantity	5	3 Conical mist to jet nozzle
Info	•	S conical mist to jet hozzle
Barcode	5 010646 062077 >	2000





https://www.hozelock.se/support/kataloger/

As part of our commitment to continuous product improvement we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in this catalogue.

Please note that not all products are available in all markets.

For spare & accessory information please visit, https://spares.hozelock.com/



Hozelock AB Box. 1119 436 23 Askim SWEDEN

Sverige: 031-28 97 20 www.hozelock.se

Danmark: 64 72 36 07 www.hozelock.dk

Suomi: 09-2707 8392 www.hozelock.fi

900-100-128

